

VOLUME 62, 1984

Subject Index / Index des matières

00.00 GENERAL

02.00 MATHEMATICAL METHODS IN PHYSICS

02.20 Group theory

A group theoretical method for the construction of the nonequivalent configurations of finite clusters with cellular disorder. Bonadeo, H., 904.

Group actions as applied to symmetry breaking in hexagonal crystals with space group $P6_3/m$. Morra, R.M., and Armstrong, R.L., 1152.

02.70 Computational techniques

Performance of various integral equation formulations for numerical solution of scattering by impedance objects. Sebak, A.A., and Shafai, L., 605.

02.90 Other topics in mathematical methods in physics

Inverse scattering study of the radiation solution of the sine-Gordon equation. Enns, R.H., and Rangnekar, S.S., 701.

An inverse scattering study of sinh-Gordon dynamics. Enns, R.H., and Rangnekar, S.S., 841.

03.00 CLASSICAL AND QUANTUM PHYSICS; MECHANICS AND FIELDS

03.40K Waves and wave propagation: general mathematical aspects

Performance of various integral equation formulations for numerical solution of scattering by impedance objects. Sebak, A.A., and Shafai, L., 605.

03.65 Quantum theory; quantum mechanics

Superoperator methods for calculating cross sections. IV: Decoupled motions approximation. Turner, R.E., Snider, R.F., and Dahler, J.S., 505.

Unspread wave packet in quantum mechanics. Bruce, S.A., 624.

De la combinatoire du modèle de l'échiquier de Feynman et des fonctions spéciales. Williams, J.G., 632.

Line broadening by focusing. de Brito, A.L., and Jabs, A., 661.

Monopole charge quantization and the Aharonov-Bohm effect. Kunstat, G., 737.

A Fourier transform treatment of the quantum mechanical two-level system in an applied electric field. I. Single field case. Grindlay, J., and Mizia, J., 741.

Gas ionization by focused laser beams. de Brito, A.L., 1010.

03.70 Theory of quantized fields

Casimir stress in spherical media when $\epsilon\mu = 1$. Brevik, I., and Kolbenstvedt, H., 805.

Longitudinal contributions to the vacuum polarization in the 't Hooft-Veltman gauge. Mann, R.B., McKeon, G., and Phillips, S., 1129.

03.80 General theory of scattering

Superoperator methods for calculating cross sections. IV: Decoupled motions approximation. Turner, R.E., Snider, R.F., and Dahler, J.S., 505.

04.00 RELATIVITY AND GRAVITATION

04.20 General relativity

Some exact anisotropic solutions in general relativity. Krori, K.D., Borgohain, P., and Devi, R., 239.

04.40 Continuous media; electromagnetic and other mixed gravitational systems

The field of an accelerating black hole embedded in a magnetic universe. Krori, K.D., and Barua, M., 889.

04.50 Unified field theories and other theories of gravitation

Comment: On the nonsymmetric Jordan-Thiry theory. McKellar, R.J., 1014.

Reply to comment: On the nonsymmetric Jordan-Thiry theory. Kalinowski, M.W., 1016.

04.80 Experimental tests of general relativity and observations of gravitational radiation

Gravitational repulsion in the Einstein-zero-mass scalar theory. Krori, K.D., Sarmah, J.C., and Goswami, D., 629.

04.90 Other topics in relativity and gravitation

Gravitational repulsion in the Einstein-zero-mass scalar theory. Krori, K.D., Sarmah, J.C., and Goswami, D., 629.

05.00 STATISTICAL PHYSICS AND THERMODYNAMICS**05.30 Quantum statistical mechanics**

Consequences of nonuniqueness in spin-relaxation theory. Hagston, W.E., and Holmes, B.J., 532.

05.50 Lattice theory and statistics; Ising problems

Dilute Potts chain in a magnetic field. Chaves, C.M., and Riera, R., 69.

Pinwheel and herringbone structures of planar rotors with anisotropic interactions on a triangular lattice with vacancies. Harris, A.B., Mouritsen, O.G., and Berlinsky, A.J., 915.

Study of a model for the main phase transition of lipid bilayers using the Kikuchi cluster method. Stein-Barana, A.M., Cabrera, G.G., and Zuckermann, M.J., 935.

05.60 Transport processes; theory

Discrete versus continuum relaxation modes of a hard sphere gas. Shizgal, B., 97.

07.00 SPECIFIC INSTRUMENTATION AND TECHNIQUES OF GENERAL USE IN PHYSICS**07.85 X-ray, gamma-ray instruments and techniques**

Photon interaction measurements of certain compounds in the energy range 30–660 keV. Perumallu, A., Rao, A.S.N., and Rao, G.K., 454.

10.00 THE PHYSICS OF ELEMENTARY PARTICLES AND FIELDS**11.00 GENERAL THEORY OF FIELDS AND PARTICLES****11.10 Field theory**

Casimir stress in spherical media when $\epsilon\mu = 1$. Brevik, I., and Kolbenstvedt, H., 805.

Longitudinal contributions to the vacuum polarization in the 't Hooft–Veltman gauge. Mann, R.B., McKeon, G., and Phillips, S., 1129.

11.30 Symmetry and conservation laws

$N = 2$ supergravity in the presence of an external magnetic field. McKeon, G., 84.

11.90 Other topics in general field and particle theory

Semiclassical calculation of the photoproduction of breather modes in the sine–Gordon theory. Weiss, N., Mendel, E., and Berlinsky, A.J., 616.

12.00 SPECIFIC THEORIES AND INTERACTION MODELS: PARTICLE SYSTEMATICS

Do leptons and quarks have a common origin? Pilot, C., 597.

12.20 Models of electromagnetic interactions

Monopole charge quantization and the Aharonov–Bohm effect. Kunstatter, G., 737.

12.30 Models of weak interactions

Do leptons and quarks have a common origin? Pilot, C., 597.

12.35H Phenomenological composite models of particle structure and reactions (partons, bags, etc.)

Dynamics of quark-bag vibrations: validity of the adiabatic approximation. Nogami, Y., and Tomio, L., 260.

Quark-bag vibrations in heavy quark systems. Dey, M., Tomio, L., and Nogami, Y., 348.

Fuzzy bag model: nucleon self-energy due to pion interaction. Nogami, Y., Suzuki, A., and Yamanishi, N., 554.

Dynamics of quark–bag vibrations: alternative methods (Additional Note). Azam, S., Nogami, Y., and Volkov A.B., 1174.

12.40K Hadron classification schemes

Broken $SU(5) \otimes SU(5)$ chiral symmetry and the classification of B mesons. Hatzis, M., 520.

12.70 Hadron mass formulas

Strong coupling and hadron masses. Sagar, R., and Verma, R.C., 226.

13.00 SPECIFIC REACTIONS AND PHENOMENOLOGY**13.40F Electromagnetic form factors; electric and magnetic moments**

Anomalous magnetic moments for uncharmed and charmed baryons. Sagar, R., and Verma, R.C., 123.

13.85 Hadron-induced high- and super-high-energy interactions, energy > 10 GeV

- A study of inelastic hadron-nucleus interactions at 50 and 400 GeV. Ahrar, H., Ahmad, S., Zafar, M., Irfan, M., and Shafi, M., 218.
 Pseudorapidity distribution and cluster formation in 50 and 400 GeV/c hadron-nucleus interactions. Irfan, M., Khushnood, H., Shakeel, A., Khan, A.R., and Shafi, M., 230.
 Short-range and long-range correlations in cosmic ray interactions. Hasan, R., Khan, M.Q.R., Ahmad, M.S., and Swami, M.S., 442.
 Mean normalized shower multiplicity in inelastic hadron-nucleus interactions at high energies and multiparticle production mechanisms. Ghosh, D., Roy, J., Basu, M., Sengupta, K., Naha, S., and Banerjee, D., 639.
 Search for dynamical correlation among relativistic particles produced in 300 GeV proton-nucleus interactions. Ghosh, D., Roy, J., Basu, M., Sengupta, K., Naha, S., and Bhattacharyya, A., 642.

13.85H Inelastic scattering, many-particle final states (energy > 10 GeV)

- Energy dependence of KNO moments using the Novero-Predazzi method with a new ansatz. Krasznovszky, S., and Wagner I., 330.

13.90 Other topics in specific reactions and phenomenology of elementary particles

- Monopole charge quantization and the Aharonov-Bohm effect. Kunstatter, G., 737.

14.00 PROPERTIES OF SPECIFIC PARTICLES AND RESONANCES**14.20 Baryons and baryon resonances**

- Anomalous magnetic moments for uncharmed and charmed baryons. Sagar, R., and Verma, R.C., 123.
 Strong coupling and hadron masses. Sagar, R., and Verma, R.C., 226.

14.40 Mesons and meson resonances

- Strong coupling and hadron masses. Sagar, R., and Verma, R.C., 226.

14.80 Other and hypothetical particles

- Monopole charge quantization and the Aharonov-Bohm effect. Kunstatter, G., 737.

20.00 NUCLEAR PHYSICS

- Deuteron photodisintegration at intermediate energies. De Sanctis, E., 1083.
 Deuteron photodisintegration at 0° and 180°. Zieger, A., 1084.
 Summary of the discussion of the theory of photodisintegration/radiative capture. Miller, G.A., 1126.
 Summary of conclusions about experiments in photodisintegration/radiative capture. Davison, N.E., 1127.

21.00 NUCLEAR STRUCTURE**21.40 Few-nucleon systems**

- A slightly model dependent relation between Q and η for the deuteron. Butler, M.N., and Sprung, D.W.L., 65.
 Photodisintegration of and radiative capture to the $A = 2, 3$, and 4 nuclei. Cameron, J.M., 1019.
 Photo- and electrodisintegration of few-body systems at intermediate energies: an introduction. Laget, J.M., 1046.
 Photonicuclear reactions in few-body systems: recent results, current program, and future plans at the Massachusetts Institute of Technology Bates Laboratory. Matthews, J.L., 1100.
 Recent studies of radiative capture and photodisintegration in few-nucleon systems. Meyer, H.O., 1109.
 Radiative capture reactions in few-nucleon systems with polarized protons and deuterons at Indiana University Cyclotron Facility. Hugi, M., 1120.

21.60E Collective models

- A new assignment for the $9/2^+[624]$ state in ^{181}Hf from the $^{179}\text{Hf}(t, p)^{181}\text{Hf}$ reaction. Burke, D.G., Waddington, J.C., Løvholden, G., and Thorsteinsen, T.F., 192.
 Remarks on the microscopic derivation of the collective model. Toyoda, T., and Wildermuth, K., 981.

21.65 Nuclear matter

- Spin symmetry energy and spin dependence of the single particle potential in nuclear matter. Dabrowski, J., 400.

23.00 RADIOACTIVITY AND ELECTROMAGNETIC TRANSITIONS**23.20 Electromagnetic transitions**

- Electromagnetic breakup of the deuteron in the Δ resonance region. Leidemann, W., and Arenhövel, H., 1036.

23.20C Lifetimes and transition probabilities

- Analogue-antianalogue transition for the 11.14-MeV level in ^{49}V . Rangacharyulu, C., Pruneau, C., Chatterjee, M.B., and St-Pierre, C., 104.
 All-multipolarity electric sum rule. Montgomery, J.A., Überall, H., and Yoo, K.-B., 771.

23.40 beta decay; electron and muon capture

- Half-life of rhenium: geologic and cosmologic ages. Nalder, S.N., 15.
 The branching ratio in the decay of ^7Be . Evans, H.C., Johnstone, I.P., Leslie, J.R., McLatchie, W., Mak, H.-B., Skensved, P., and Alexander, T.K., 1139.

24.00 NUCLEAR REACTIONS AND SCATTERING: GENERAL

24.30 Resonance reactions and scattering

Generalized isospin sum rule: an application to magnetic transitions. Montgomery, J.A., Yoo, K.-B., Überall, H., and Bosco, B., 764.
All-multipolarity electric sum rule. Montgomery, J.A., Überall, H., and Yoo, K.-B., 771.

25.00 NUCLEAR REACTIONS AND SCATTERING: SPECIFIC REACTIONS

25.10 Nuclear reactions and scattering involving few-nucleon systems

A measurement of the neutron-proton capture differential cross section at extreme centre-of-mass angles at $E_n = 61$ MeV. Ninane, A., Dupont, C., Leleux, P., Lipnik, P., and Macq, P., 1104.

25.20 Photonuclear reactions and photon scattering

The giant dipole resonance of mass-15 nuclei and the $^{12}\text{C}(\gamma, \gamma_0)^{15}\text{O}$ and $^{11}\text{B}(\alpha, \gamma_0)^{15}\text{N}$ reactions. Del Bianco, W., Kajrys, G., Kim, J., Kundu, S., Landsberger, S., Lecomte, R., and Monaro, S., 288.

Generalized isospin sum rule: an application to magnetic transitions. Montgomery, J.A., Yoo, K.-B., Überall, H., and Bosco, B., 764.
All-multipolarity electric sum rule. Montgomery, J.A., Überall, H., and Yoo, K.-B., 771.

Observables in $\gamma + d \rightleftharpoons n + p$. Rustgi, M.L., Nunemaker, R.D., and Vyas, R., 1064.

Photodisintegration of the deuteron. Hwang, W.-Y.P., 1072.

Photonuclear reactions in few-body systems: recent results, current program, and future plans at the Massachusetts Institute of Technology Bates Laboratory. Matthews, J.L., 1100.

Recent studies of radiative capture and photodisintegration in few-nucleon systems. Meyer, H.O., 1109.

25.30 Lepton-induced reactions and scattering

Generalized isospin sum rule: an application to magnetic transitions. Montgomery, J.A., Yoo, K.-B., Überall, H., and Bosco, B., 764.
All-multipolarity electric sum rule. Montgomery, J.A., Überall, H., and Yoo, K.-B., 771.

25.40 Nucleon-induced reactions and scattering

Analogue-antianalogue transition for the 11.14-MeV level in ^{49}V . Rangacharyulu, C., Pruneau, C., Chatterjee, M.B., and St-Pierre, C., 104.

Gamma rays produced in the $^{209}\text{Bi}(n, n'\gamma)$ reaction. Prestwich, W.V., Kennett, T.J., and Tsai, J.S., 948.

25.50 ^2H - and ^3H -induced reactions and scattering

A new assignment for the $9/2^+[624]$ state in ^{181}Hf from the $^{179}\text{Hf}(t, p)^{181}\text{Hf}$ reaction. Burke, D.G., Waddington, J.C., Løvholden, G., and Thorsteinsen, T.F., 192.

25.60 ^3He - and ^4He -induced reactions and scattering

Cross sections and thermonuclear reaction rates for the $^{28}\text{Si}(\alpha, p)^{31}\text{P}$ and $^{54}\text{Fe}(\alpha, p)^{57}\text{Co}$ reactions. Buckby, M.A., and King, J.D., 134.

27.00 PROPERTIES OF SPECIFIC NUCLEI LISTED BY MASS RANGES

27.10 $A \leq 5$

A slightly model dependent relation between Q and η for the deuteron. Butler, M.N., and Sprung, D.W.L., 65.

27.40 $39 \leq A \leq 58$

Analogue-antianalogue transition for the 11.14-MeV level in ^{49}V . Rangacharyulu, C., Pruneau, C., Chatterjee, M.B., and St-Pierre, C., 104.

27.60 $90 \leq A \leq 149$

^{134}Cs level structure deduced from the (n, γ) reaction. Kennett, T.J., Prestwich, W.V., and Tsai, J.S., 861.

27.70 $150 \leq A \leq 189$

Half-life of rhenium: geologic and cosmologic ages. Naldrett, S.N., 15.

A new assignment for the $9/2^+[624]$ state in ^{181}Hf from the $^{179}\text{Hf}(t, p)^{181}\text{Hf}$ reaction. Burke, D.G., Waddington, J.C., Løvholden, G., and Thorsteinsen, T.F., 192.

27.80 $190 \leq A \leq 219$

Gamma rays produced in the $^{209}\text{Bi}(n, n'\gamma)$ reaction. Prestwich, W.V., Kennett, T.J., and Tsai, J.S., 948.

29.00 EXPERIMENTAL METHODS AND INSTRUMENTATION FOR ELEMENTARY-PARTICLE AND NUCLEAR PHYSICS

29.20 Cyclic accelerators and storage facilities

The present status, recent experimental results, and future plans at the Tokyo electron synchrotron. Sumi, Y., 1085.

29.80 Nuclear information processing

Attribution of spins of proton capture resonances from gamma decay branching. Cameron, J.A., 115.

29.90 Other topics in high-energy and nuclear experimental methods and instrumentation

Experiments at TRIUMF on radiative processes. Hutcheon, D.A., 1114.

30.00 ATOMIC AND MOLECULAR PHYSICS

Seventh spectrum of tin: Sn VII. VanKleef, Th.A.M., and Joshi, Y.N., 167.

31.00 THEORY OF ATOMS AND MOLECULES

Multireference (single) and double-excitation — configuration interaction (MRD-CI) study of the radicals CN, SiN, and SiP, and the linear structures of HSiP and SiPH in their electronic ground and various excited states. Bruna, P.J., Dohmann, H., and Peyerimhoff, S.D., 1508.

31.10 General theory of structure, transitions and chemical binding

Unitary approximations to transition probabilities: Generalized impact parameter theory and the time dependent projection operator method. Turner, R.E., 446.

Empirical interionic potentials for alkali halide molecules. Szymanski, J.E., and Matthew, J.A.D., 583.

31.20D Complete *ab initio* calculations (exact or nearly exact calculations on small species)

Ab initio SCF-MO calculations on AlO_4 centres in alpha-quartz. I. Mombourquette, M.J., Weil, J.A., and Mezey, P.G., 21.

Rydberg levels of the sodium atom and the ammonium radical calculated by perturbation theory. Havriliak, S., Furlani, T.R., and King, H.F., 1336.

The $1^1\Pi_g$ state of hydrogen: adiabatic corrections, energy levels, L uncoupling, and electronic transition moments. Dressler, K., and Wolniewicz, L., 1706.

Ab initio calculation of properties of the neutral diatomic hydrogen molecules H_2 , HD, D_2 , HT, DT, and T_2 . Hunt, J.L., Poll, J.D., and Wolniewicz, L., 1719.

An *ab initio* investigation of the potential function and rotation-vibration energies of NH_3 . Bunker, P.R., Kraemer, W.P., and Špirko, V., 1801.

32.00 ATOMIC SPECTRA AND INTERACTIONS WITH PHOTONS

Gamma-ray cross sections and effective atomic numbers in some alloys in the energy range 32 to 662 keV. Babu, K.S., Lingam, S.C., and Reddy, D.V.K., 178.

Total and photoelectric cross sections in some rare-earth elements. Lingam, S.C., Babu, K.S., and Reddy, D.V.K., 688.

32.20J Visible and ultraviolet spectra

Seventh spectrum of tin: Sn VII. VanKleef, Th.A.M., and Joshi, Y.N., 167.

32.20R X-ray spectra

X-ray spectra of Ne-like Ba, La, Ce, and Pr ions. Aglitsky, E.V., Antsiferov, P.S., Mandelstam, S.L., and Pann, A.M., 1924.

32.50 Fluorescence, phosphorescence

Analytic expressions for fluorescence spectra and optical collision rates of collisionally perturbed atoms in a strong driving field. Schuller, F., and Nienhuis, G., 183.

32.70 Spectral line shapes and intensities

A study of radiative and collisional decay of $\text{Pb } ^3P^0_1$ atoms by time-resolved laser spectroscopy. Giers, D.H., Atkinson, J.B., and Krause, L., 1616.

32.80F Photoionization and photodetachment

Polarization dependence of resonant multiphoton ionization in atomic mercury. Dalby, F.W., Pryce, M.H.L., and Sanders, J.H., 419.

32.80K Multiphoton processes

Polarization dependence of resonant multiphoton ionization in atomic mercury. Dalby, F.W., Pryce, M.H.L., and Sanders, J.H., 419.

Line broadening by focusing. de Brito, A.L., and Jabs, A., 661.

Gas ionization by focused laser beams. de Brito, A.L., 1010.

32.90 Other topics in atomic spectra and interactions with photons

Gamma-ray cross sections and effective atomic numbers in some alloys in the energy range 32 to 662 keV. Babu, K.S., Lingam, S.C., and Reddy, D.V.K., 178.

Total and photoelectric cross sections in some rare-earth elements. Lingam, S.C., Babu, K.S., and Reddy, D.V.K., 688.

33.00 MOLECULAR SPECTRA AND INTERACTIONS WITH PHOTONS

Hertzberg's impact on the physics of Rydberg states. Fano, U., and Lu, K.T., 1264.

33.10 Calculation of molecular spectra

Bond-length alternation and vibrational spectra of polyacetylene. Takahashi, M., and Paldus, J., 1226.

Summary of group theoretical results for microwave and infrared studies of H_2O_2 . Hougen, J.T., 1392.

Oxygen absorption in the spectral range 180–300 nm for temperatures to 3000 K and pressures to 50 atm. Cann, M.W.P., Shin, J.B., and Nicholls, R.W., 1738.

Spectroscopic constants for tritiated and deuterated H_3^+ . Carney, G.D., 1871.

Ab initio studies on the oscillator strength of the $2^1\Pi_u - X^1\Sigma_g^+$ spin-forbidden transition in Cl_2 . Grein, F., Peyerimhoff, S.D., and Buenker, R.J., 1928.

The $D(0_0^+)$ state of I_2 : Analysis by quantum simulations of bound-free $D \rightarrow X$ fluorescence. Tellinghuisen, J., 1933.

33.20 Molecular spectra grouped by wavelength ranges

Emission spectra of group IV monohalide ions: $a^1\Pi_0^+, ^3\Pi_1 - X^1\Sigma^+$ emissions of $SiBr^+$. Tsuji, M., Shinohara, K., Nishitani, S., Mizuguchi, T., and Nishimura, Y., 353.

The microwave and millimetre wave spectrum of diazirine, H_2CN_2 : Rotational and hyperfine structure analysis. Bogey, M., Winnewisser, M., and Christian, J.J., 1198.

Tunable diode laser spectra of the $\nu_3 - \nu_1$ region of CS_2 . Baeten, E., Blanquet, G., Walrand, J., and Courtoy, C.P., 1286.

Rotational bands in the nucleus ^{168}Er and some remarks on their interpretation. Davidson, W.F., Dixon, W.R., and Storey, R.S., 1538.

Observation of the ν_1 fundamental band of D_2H^+ . Lubic, K.G., and Amano, T., 1886.

33.20B Radiofrequency and microwave spectra

The rotational a -type spectrum of $[^{13}C]diazirine, H_2CN_2$. Möller, K., Vogt, J., Winnewisser, M., and Christiansen, J.J., 1217.

The millimetre wave spectrum of the $^{13}C^{14}N$ radical in its ground state. Bogey, M., Demuyne, C., and Destombes, J.L., 1248.

The microwave spectrum of the chloromethyl radical, CH_2Cl . Endo, Y., Saito, S., and Hirota, E., 1347.

A measurement of the lambda-type doubling spectrum of the CH radical by microwave-optical double resonance: further characterization of the $A^2\Delta$ state. Brazier, C.R., and Brown, J.M., 1563.

Microwave-optical double resonance of HNO in the $\tilde{A}^1A'(000)$ state. Petersen, J.C., Saito, S., Amano, T., and Ramsay, D.A., 1731.

The ν_1 and ν_5 bands of D_2CO and improved ground state constants. Clar, H.-J., Yamada, K., Birss, F.W., Winnewisser, G., and Gush, H.P., 1834.

Internal rotation, Stark effect, and rotational magnetic moments in CH_3CD_3 . Ozier, I., and Meerts, W.L., 1844.

33.20E Infrared spectra

Analysis of the high resolution spectrum of the ν_2 and ν_5 absorption bands of methyl chloride. Morillon-Chapey, M., Guelachvili, G., and Jensen, P., 247.

Le niveau de base du silane obtenu à partir de l'étude du spectre à transformée de Fourier de ν_2 et ν_4 . Pierre, G., Valentin, A., et Henry, L., 254.

Temperature dependent collision-induced absorption in nitrogen. Stone, N.W.B., Read, L.A.A., Anderson, A., Dagg, I.R., and Smith W., 338.

Les intensités dans les bandes ν_5 , ν_7 et $\nu_8 + \nu_{11}$ de l'éthane. Dang-Nhu, M., Pine, A.S., et Lafferty, W.J., 512.

Possible identification of sharp features in the Voyager far-infrared spectra of Jupiter and Saturn. McKellar, A.R.W., 760.

Vibration-rotation spectra of deuterated nitrous acid, $DONO$. Halonen, L.O., Deeley, C.M., Mills, I.M., and Homeman, V.-M., 1300.

High-resolution Fourier transform study of the ν_{11} and ν_7 fundamentals of cyclopropane. Pliva, J., and Johns, J.W.C., 1369.

The infrared spectrum of CS_2 . Winkel, R.J., Jr., Davis, S.P., Pecyner, R., and Brault, J.W., 1414.

Lambda doubling in the infrared spectrum of SH . Winkel, R.J., Jr., and Davis, S.P., 1420.

Infrared spectrum of $HNCO$ between 8 and 80 cm^{-1} . Fusina, L., Carlotti, M., and Carli, B., 1452.

Electric dipole moment of X^2II OH and OD in several vibrational states. Peterson, K.I., Fraser, G.T., and Klemperer, W., 1502.

Interference effects in the spectrum of HD: II. The fundamental band for HD-rare gas mixtures. McKellar, A.R.W., and Rich, N.H., 1665.

Interference effects in the spectrum of HD: III. The pure rotational band at 77 K for HD and HD-Ne mixtures. McKellar, A.R.W., Johns, J.W.C., Majewski, W., and Rich, N.H., 1673.

Rotational spectrum of HD at low pressures. Essenwanger, P., and Gush, H.P., 1680.

The $S_0(1)$ quadrupole line of H_2 . De Cosmo, V., Gush, H.P., and Halpern, M., 1713.

The infrared spectrum of the ν_2 fundamental band of the H_3^+ molecular ion. Watson, J.K.G., Foster, S.C., McKellar, A.R.W., Bernath, P., Amano, T., Pan, F.S., Crofton, M.W., Altman, R.S., and Oka, T., 1875.

The spectrum of natural hydrogen sulfide between 2150 and 2950 cm^{-1} . Lechuga-Fossat, L., Flaud, J.-M., Camy-Peyret, C., and Johns, J.W.C., 1889.

33.20F Raman and Rayleigh spectra

Raman studies of the $^{16}O_2^+$ and $^{14}N_2^+$ bombarded silicon surface. Mathur, M.S., Derenchuk, V.P., and McKee, J.S.C., 201.

Raman spectra of a graphite surface implanted with D_2 . Mathur, M.S., Derenchuk, V.P., and McKee, J.S.C., 214.

33.20K Visible spectra

Herzberg-Teller intensity stealing in the 279-nm system of phenylacetylene: Evidence from single vibronic level fluorescence spectra. Bacon, A.R., Hollas, J.M., and Ridley, T., 1254.

Spectra and lifetimes of triatomic hydrogen molecules. Figger, H., Fukuda, Y., Ketterle, W., and Walther, H., 1274.

Rotational perturbations and the Zeeman effect in the $\tilde{A}^1A'(010) - X^1A'(000)$ band of HCF. Suzuki, T., Saito, S., and Hirota, E., 1328.

Rotational analysis of the Bal $C^2\Pi - X^2\Sigma^+$ (0, 0) band. Johnson, M.A., Noda, C., McKillop, J.S., and Zare, R.N., 1467.

The emission spectrum of ReO between 375 and 875 nm: A classification based on rotational analysis and $Re^{16}O/Re^{18}O$ isotope shifts. Balfour, W.J., and Ram, R.S., 1524.

Rotational perturbations in the $CN(B^2\Sigma^+ - X^2\Sigma^+)$ tail band system. III. Molecular constants for the $^4\Pi$, $^4\Sigma^+$, $A^2\Pi$, and $X^2\Sigma^+$ states. Ito, H., Ozaki, Y., Nagata, T., Kondow, T., and Kuchitsu, K., 1586.

Microwave-optical double resonance of HNO in the $\tilde{A}^1A''(000)$ state. Petersen, J.C., Saito, S., Amano, T., and Ramsay, D.A., 1731.
 High-resolution emission bands of the $A^2\Pi - X^2\Pi$ system of SO^+ . Hardwick, J.L., Luo, Y., Winicur, D.H., and Coxon, J.A., 1792.
 Dye laser and thermal emission spectroscopy of the TbO molecule. Kulikov, A.N., Kaledin, L.A., Kobylansky, A.I., and Gurvich, L.V., 1855.

Characterization of the shallow $\tilde{d}(^3\Pi_1)$ state of iodine chloride. Brand, J.C.D., Bussi  res, D., Hoy, A.R., and Jaywant, S.M., 1947.

33.20L Ultraviolet spectra

Absolute absorption cross sections at high resolution in the $A^2\Pi_1 - X^2\Pi_1$ band system of ClO . Barton, S.A., Coxon, J.A., and Roychowdhury, U.K., 473.

A vibrational and rotational analysis of the $\tilde{d}^3A'' - \tilde{X}^1A'$ band system of HDCO. Clouthier, D.J., Craig, A.M., and Birss, F.W., 973.

Effect of isotope shifts in the blue-green band spectrum of the lead dimer. Berg, L.-E., Ismail, S., Klynning, L., Martin, H., Pereira, A., and Royen, P., 1232.

Herzberg-Teller intensity stealing in the 279-nm system of phenylacetylene: Evidence from single vibronic level fluorescence spectra. Bacon, A.R., Hollas, J.M., and Ridley, T., 1254.

High-resolution laser spectroscopy on the $A^1\Pi \leftarrow X^3\Sigma^-$ transition of NH . Ubachs, W., ter Meulen, J.J., and Dymanus, A., 1374.

Oxygen absorption in the spectral range 180-300 nm for temperatures to 3000 K and pressures to 50 atm. Cann, M.W.P., Shin, J.B., and Nicholls, R.W., 1738.

33.20N Vacuum ultraviolet spectra

High-resolution study of the absorption spectrum of the first positive system of N_2 . Verma, R.D., 414.

Experimental evidence for $I^3\Sigma_g^+$ as the predissociating state in the $B^3\Pi_g$ and $a^1\Pi_g$ states of N_2 . Verma, R.D., 569.

Frequency selective excitation spectroscopy of the CO intercombination bands. Klopotek, P., and Vidal, C.R., 1426.

High resolution vacuum ultraviolet absorption spectrum of N_2 : Perturbations in the $c'_2(0) \ ^1\Sigma_u^+$ and $c_4(0) \ ^1\Pi_u$ Rydberg levels. Yoshino, K., and Freeman, D.E., 1478.

Vacuum ultraviolet laser spectroscopy: I. Fluorescence studies of the $B'^2\Delta$ state of NO . Banic, J.R., Lipson, R.H., and Stoicheff, B.P., 1629.

The Lyman and Werner bands of H_2 . Dabrowski, I., 1639.

High resolution emission spectrum of H_2 between 78 and 118 nm. Roncin, J.-Y., Launay, F., and Larzilliere, M., 1686.

Herzberg continuum cross section of oxygen in the wavelength region 193.5-204.0 nm and band oscillator strengths of the (0,0) and (1,0) Schumann-Runge bands. Cheung, A.S.-C., Yoshino, K., Parkinson, W.H., and Freeman, D.E., 1752.

The $\tilde{A}^1A'(S_1)$ excited electronic states of HCN and DCN : Isotopic evidence that unifies experiment and theory. Bickel, G.A., and Innes, K.K., 1763.

The $4s \leftarrow 1b_1$ and $3d \leftarrow 1b_1$ Rydberg states of H_2O and D_2O : Spectroscopy and predissociation dynamics. Ashfold, M.N.R., Bayley, J.M., and Dixon, R.N., 1806.

33.30 Electron paramagnetic resonance and relaxation

The electron paramagnetic resonance of methylene. Bernheim, R.A., 1724.

33.35 Double resonances and other multiple resonances

Microwave-optical double resonance of HNO in the $\tilde{A}^1A''(000)$ state. Petersen, J.C., Saito, S., Amano, T., and Ramsay, D.A., 1731.

33.45 Magneto-optical and electro-optical spectra; dichroism

Rotational perturbations and the Zeeman effect in the $\tilde{A}^1A''(010) - \tilde{X}^1A'(000)$ band of HCF . Suzuki, T., Saito, S., and Hirota, E., 1328.

33.45B Zeeman and Stark effects

Effets hyperfins induits par la vibration et la rotation mol  culaire. Michelot, F., 148.

Internal rotation, Stark effect, and rotational magnetic moments in CH_3CD_3 . Ozier, I., and Meerts, W.L., 1844.

33.50 Fluorescence, phosphorescence; radiationless transitions (intersystem crossing; internal conversion)

Herzberg-Teller intensity stealing in the 279-nm system of phenylacetylene: Evidence from single vibronic level fluorescence spectra. Bacon, A.R., Hollas, J.M., and Ridley, T., 1254.

Rotational perturbations and the Zeeman effect in the $\tilde{A}^1A''(010) - \tilde{X}^1A'(000)$ band of HCF . Suzuki, T., Saito, S., and Hirota, E., 1328.

Spin-orbit splittings and rotational constants for vibrationally excited levels of NCO ($X^2\Pi_1$). Copeland, R.A., and Crosley, D.R., 1488.

Laser-excited fluorescence of the (2) $^1\Sigma_u^+$ double-minimum state of Na_2 studied by Fourier transform spectrometry. Cooper, D.L., Barrow, R.F., Verg  s, J., Effantin, C., and d'Incan, J., 1543.

Vacuum ultraviolet laser spectroscopy: I. Fluorescence studies of the $B'^2\Delta$ state of NO . Banic, J.R., Lipson, R.H., and Stoicheff, B.P., 1629.

33.70 Intensities and shapes of molecular spectral lines and bands

Possible identification of sharp features in the Voyager far-infrared spectra of Jupiter and Saturn. McKellar, A.R.W., 760.

Spectra and lifetimes of triatomic hydrogen molecules. Figger, H., Fukuda, Y., Ketterle, W., and Walther, H., 1274.

Study of T_2 relaxation for I -doublet transitions of OCS . Mehrotra, S.C., and M  der, H., 1280.

Study of collision-induced rotational perturbations in gases via the wing shape of infrared bands. Bulandin, M.O., Tonkov, M.V., and Filippov, N.N., 1306.

High resolution vacuum ultraviolet absorption spectrum of N_2 : Perturbations in the $c'_2(0) \ ^1\Sigma_u^+$ and $c_4(0) \ ^1\Pi_u$ Rydberg levels. Yoshino, K., and Freeman, D.E., 1478.

Experimental determination of the $^1\Sigma^+$ state electric dipole moment function of carbon monoxide up to a large internuclear separation.

Chackerian, C., Jr., Farrenq, R., Guelachvili, G., Rossetti, C., and Urban, W., 1579.

Formulae for the rotational intensity distribution of $^5\Sigma \leftrightarrow ^5\Pi$ (int) transitions in diatomic molecules. Kovács, I., and Antal, J., 1603.

Rotational line strengths in a $^5\Sigma - ^5\Pi$ transition with application to the $A - X$ system of CrO. Sassenberg, U., Cheung, A.S.-C., and Merer, A.J., 1610.

Interference effects in the spectrum of HD: II. The fundamental band for HD—rare gas mixtures. McKellar, A.R.W., and Rich, N.H., 1665.

Interference effects in the spectrum of HD: III. The pure rotational band at 77 K for HD and HD—Ne mixtures. McKellar, A.R.W., Johns, J.W.C., Majewski, W., and Rich, N.H., 1673.

Herzberg continuum cross section of oxygen in the wavelength region 193.5–204.0 nm and band oscillator strengths of the (0,0) and (1,0) Schumann—Runge bands. Cheung, A.S.-C., Yoshino, K., Parkinson, W.H., and Freeman, D.E., 1752.

The $4s \leftarrow 1b_1$ and $3d \leftarrow 1b_1$ Rydberg states of H_2O and D_2O : Spectroscopy and predissociation dynamics. Ashfold, M.N.R., Bayley, J.M., and Dixon, R.N., 1806.

The three lowest ion-pair states of ICl. Bussi res, D., and Hoy, A.R., 1941.

33.80E Autoionization, photoionization, and photodetachment

Vibrational dependence of electronic nonradiative processes in the \tilde{B} state of C_2F_6 and 1,2,4,5- $C_6F_4H_2$. Winkoun, D., Chapoulard, D., Dujardin, G., and Leach, S., 1361.

33.80G Diffuse spectra; predissociation, photodissociation

Herzberg continuum cross section of oxygen in the wavelength region 193.5–204.0 nm and band oscillator strengths of the (0,0) and (1,0) Schumann—Runge bands. Cheung, A.S.-C., Yoshino, K., Parkinson, W.H., and Freeman, D.E., 1752.

The $\tilde{A}^1A'(S_1)$ excited electronic states of HCN and DCN: Isotopic evidence that unifies experiment and theory. Bickel, G.A., and Innes, K.K., 1763.

33.80K Multiphoton processes

The $4s \leftarrow 1b_1$ and $3d \leftarrow 1b_1$ Rydberg states of H_2O and D_2O : Spectroscopy and predissociation dynamics. Ashfold, M.N.R., Bayley, J.M., and Dixon, R.N., 1806.

33.90 Other topics in molecular spectra and interactions with photons

Photon interaction measurements of certain compounds in the energy range 30–660 keV. Perumallu, A., Rao, A.S.N., and Rao, G.K., 454.

Absorption bands of O_2 and OH in a new ultraviolet continuum and in the XeCl laser spectrum. Shimauchi, M., and Oikawa, K., 1403.

34.00 ATOMIC AND MOLECULAR COLLISION PROCESSES AND INTERACTIONS

34.20 Interatomic and intermolecular potentials and forces

Empirical interionic potentials for alkali halide molecules. Szymanski, J.E., and Matthew, J.A.D., 583.

The diffusion cross section for atomic hydrogen in helium gas at low temperature and the H—He potential. Jochemsen, R., Berlinsky, A.J., and Hardy, W.N., 751.

Study of collision-induced rotational perturbations in gases via the wing shape of infrared bands. Bulanin, M.O., Tonkov, M.V., and Filippov, N.N., 1306.

Interference effects in the spectrum of HD: II. The fundamental band for HD—rare gas mixtures. McKellar, A.R.W., and Rich, N.H., 1665.

Interference effects in the spectrum of HD: III. The pure rotational band at 77 K for HD and HD—Ne mixtures. McKellar, A.R.W., Johns, J.W.C., Majewski, W., and Rich, N.H., 1673.

34.50 Inelastic scattering of atoms and molecules

Quenching of the $O_2(A_v=2 \rightarrow X_v=5)$ Herzberg I band by $O_2(a)$ and O. Kenner, R.D., and Ogryzlo, E.A., 1599.

A study of radiative and collisional decay of $Pb\ ^3P^0_1$ atoms by time-resolved laser spectroscopy. Giers, D.H., Atkinson, J.B., and Krause, L., 1616.

Radiative charge transfer and radiative association of helium ions with neon atoms. Cooper, D.L., Kirby, K., and Dalgarno, A., 1622.

34.50E Rotational and vibrational energy transfer

Study of T_2 relaxation for I -doublet transitions of OCS. Mehrotra, S.C., and M der, H., 1280.

34.50H Electronic excitation and ionization (including beam-foil excitation and ionization)

Spectra and lifetimes of triatomic hydrogen molecules. Figger, H., Fukuda, Y., Ketterle, W., and Walther, H., 1274.

34.70 Charge transfer

Charge transfer in $H^+ - He^+$ (1s) collisions. Datta, S., Mandal, C.R., and Mukherjee, S.C., 307.

Positive ion production in single collisions of Cl^- with rare gas atoms. Hird, B., and Rahman, F., 544.

Spectra and lifetimes of triatomic hydrogen molecules. Figger, H., Fukuda, Y., Ketterle, W., and Walther, H., 1274.

34.80B Elastic scattering of electrons by atoms and molecules

Total cross sections for electron—lithium scattering. Tayal, S.S., and Tripathi, A.N., 198.

34.80D Atomic excitation and ionization by electron impact

The triple differential cross section for the ionization of hydrogen atoms under electron impact. Ghosh, A.S., Mazumdar, P.S., and Basu, M., 968.

34.80G Molecular excitation, ionization and dissociation by electron impact

Absolute cross sections for D₂ Lyman and Werner band excitation by controlled electron impact. Becker, K., and McConkey, J.W., 1.

34.90 Other topics in atomic and molecular collision processes and interactions

Étude expérimentale de propriétés piézo-optiques du CCl₄ liquide. St-Arnaud, J.M., et Bose, T.K., 548.

35.00 PROPERTIES OF ATOMS AND MOLECULES; INSTRUMENTS AND TECHNIQUES**35.20 Molecules**

Vibration-rotation interaction constants and the cubic potential function of the NO₂ molecule in the small-amplitude approximation. Morino, Y., and Tanimoto, M., 1315.

On the H⁻ migration in the NH₄⁺ ion. Kalcher, J., Rosmus, P., and Quack, M., 1323.

Rotational perturbations and the Zeeman effect in the $\tilde{A}^1A''(010) - \tilde{X}^1A'(000)$ band of HCF. Suzuki, T., Saito, S., and Hirota, E., 1328.

Rotational analysis of the Bal C²Π - X²Σ⁺ (0,0) band. Johnson, M.A., Noda, C., McKillop, J.S., and Zare, R.N., 1467.

The ν₁ and ν₄ bands of D₂CO and improved ground state constants. Clar, H.-J., Yamada, K., Birss, F.W., Winniewisser, G., and Gush, H.P., 1834.

35.20D Interatomic distances and angles

The microwave spectrum of the chloromethyl radical, CH₂Cl. Endo, Y., Saito, S., and Hirota, E., 1347.

Internal rotation, Stark effect, and rotational magnetic moments in CH₃CD₃. Ozier, I., and Meerts, W.L., 1884.

35.20J Barrier heights (internal rotation, inversion); rotational isomerism, conformational dynamics

The Δk = ±2 "forbidden band" and inversion-rotation energy levels of ammonia. Urban, Š., D'Cunha, R., Rao, K.N., and Papoušek, D., 1775.

Internal rotation, Stark effect, and rotational magnetic moments in CH₃CD₃. Ozier, I., and Meerts, W.L., 1844.

35.20M Electric and magnetic moments (and derivatives), polarizability, and magnetic susceptibility

Radiative charge transfer and radiative association of helium ions with neon atoms. Cooper, D.L., Kirby, K., and Dalgarno, A., 1622.

Rotational spectrum of HD at low pressures. Essenwanger, P., and Gush, H.P., 1680.

The S₀(1) quadrupole line of H₂. De Cosmo, V., Gush, H.P., and Halpern, M., 1713.

Internal rotation, Stark effect, and rotational magnetic moments in CH₃CD₃. Ozier, I., and Meerts, W.L., 1844.

35.20P Rotation, vibration, and vibration-rotation constants

The millimetre wave spectrum of the ¹³C¹⁴N radical in its ground state. Bogey, M., Demuyne, C., and Destombes, J.L., 1248.

Rotational analysis of the $\tilde{A}^2\Pi_{3/2} \leftarrow \tilde{X}^2\Pi_{3/2}$ laser excitation spectra of the bromoacetylene and deuterobromoacetylene cations. King, M.A., Maier, J.P., Misev, L., and Ochsner, M., 1437.

Spin-orbit splittings and rotational constants for vibrationally excited levels of NCO (X²Π₁). Copeland, R.A., and Crosley, D.R., 1488.

Rotational spectrum of HD at low pressures. Essenwanger, P., and Gush, H.P., 1680.

The S₀(1) quadrupole line of H₂. De Cosmo, V., Gush, H.P., and Halpern, M., 1713.

The $\tilde{A}^1A''(S_1)$ excited electronic states of HCN and DCN: Isotopic evidence that unifies experiment and theory. Bickel, G.A., and Innes, K.K., 1763.

Internal rotation, Stark effect, and rotational magnetic moments in CH₃CD₃. Ozier, I., and Meerts, W.L., 1884.

35.20S Hyperfine- and fine-structure constants

The millimetre wave spectrum of the ¹³C¹⁴N radical in its ground state. Bogey, M., Demuyne, C., and Destombes, J.L., 1248.

High-resolution laser spectroscopy on the $\tilde{A}^1\Pi \leftarrow \tilde{X}^1\Sigma^+$ transition of NH. Ubachs, W., ter Meulen, J.J., and Dymann, A., 1374.

36.00 STUDIES OF SPECIAL ATOMS AND MOLECULES**36.40 Atomic and molecular clusters**

Étude à basse température dans l'infrarouge proche du dimère (NO)₂. Menoux, V., Le Doucen, R., Haeusler, C., et Deroche, J.C., 322.

The structure of fluorene (C₁₃H₁₀) and the fluorene-argon van der Waals complex from a high-resolution near ultraviolet spectrum. Meerts, W.L., Majewski, W.A., and van Herpen, W.M., 1293.

40.00 CLASSICAL AREAS OF PHENOMENOLOGY**41.00 ELECTRICITY AND MAGNETISM: FIELDS AND CHARGED PARTICLES****41.10 Classical electromagnetism**

Traveling waves in a parallel plate waveguide with periodic wall perturbations. Chakrabarti, A., and Dowerah, S., 271.

Spinor solutions to Maxwell's equations in free space. Hillion, P., and Quinnez, S., 674.

On the diffraction problem of a half plane with different face impedances. Lüneburg, E., and Hurd, R.A., 853.

41.10H Electromagnetic waves: theory

Performance of various integral equation formulations for numerical solution of scattering by impedance objects. Sebak, A.A., and Shafai, L., 605.

41.70 Particles in electromagnetic fields; classical aspects

Classical electrodynamics of spinning particles. Hoeneisen, B., 943.

41.90 Other topics in electricity and magnetism

On energy, entropy, and current in constitutive theory. Hajdo, L.E., 312.

42.00 OPTICS**42.10 Propagation and transmission in homogeneous media**

Spinor solutions to Maxwell's equations in free space. Hillion, P., and Quinnez, S., 674.

42.30 Optical information, image formation and analysis

Transient interference gratings and holograms in dyed plastic. Calixto, S., and Lessard, R.A., 669.

42.40 Holography

Method of lensless, no-aperture, one-step rainbow holography: theory, practice, and applications. Grover, C.P., Lessard, R.A., and Tremblay, R., 77.

Interference fringes arising from strong coupling in multiple exposure thick absorption holographic gratings (Additional Note). Couture, J.J.A., and Lessard, R.A., 92.

Comportement d'une mince couche d'huile irradiée en infrarouge. Ledoyen, F., et Cormier, M., 207.

Transient interference gratings and holograms in dyed plastic. Calixto, S., and Lessard, R.A., 669.

42.55M Lasing action in liquids and organic dyes

Lasing ability of dyes related to symmetry of the fluorescent state: the example of naphthalene. Rullière, C., 73.

42.60 Laser systems and laser beam applications

Spinor solutions to Maxwell's equations in free space. Hillion, P., and Quinnez, S., 674.

42.60H Optical problems related to properties and interactions of laser beams

Line broadening by focusing. de Brito, A.L., and Jabs, A., 661.

Gas ionization by focused laser beams. de Brito, A.L., 1010.

42.65B General theory

Line broadening by focusing. de Brito, A.L., and Jabs, A., 661.

Gas ionization by focused laser beams. de Brito, A.L., 1010.

42.65C Stimulated Raman, Brillouin and Rayleigh scattering; parametric oscillations and harmonic generation

Two-photon resonant optical processes in atomic potassium. Zhang, P.-L., and Schawlow, A.L., 1187.

42.65J Beam trapping, self focusing, thermal blooming, and related effects

Polarization analysis of induced gratings in nematic liquid crystal films. Fuh, Y.G., and Code, R.F., 40.

50.00 FLUIDS, PLASMAS, AND ELECTRIC DISCHARGES**52.00 THE PHYSICS OF PLASMAS AND ELECTRIC DISCHARGES****52.35 Waves, oscillations, and instabilities in plasma**

Ion-acoustic solitons in a two electron-temperature plasma consisting of warm ions. Murthy, P.N., Tagare, S.G., and Abrol, P.S., 45.

Cylindrical magnetosonic shocks in a collisional plasma. Sarma, S.N., and Bujarbarua, S., 978.

52.35T Shock waves

Cylindrical magnetosonic shocks in a collisional plasma. Sarma, S.N., and Bujarbarua, S., 978.

52.50L Plasma production and heating by shock wave and wire explosion

Cylindrical magnetosonic shocks in a collisional plasma. Sarma, S.N., and Bujarbarua, S., 978.

52.55 Plasma equilibrium and confinement

On the entropy production in dissipative radiative plasmas. Schweizer, M.A., 435.

52.60 Relativistic plasma

On the entropy production in dissipative radiative plasmas. Schweizer, M.A., 435.

52.70 Plasma diagnostic techniques and instrumentation

A numerical method for diffusion, attachment, and recombination coefficients in uv ionized gases. Shammass, S., and Seguin, H.J.J., 992.

52.80 Electric discharges

A study of argon metastable generation in a hollow cathode arc. Fortin, M., and Meubus, P., 141.

Electrodeless breakdown of gas in slightly conducting glass bulbs. Curzon, F.L., Parfeniuk, D.A., and Friedmann, D.E., 1145.
 The millimetre wave spectrum of the $^{13}\text{C}^{14}\text{N}$ radical in its ground state. Bogey, M., Demuyne, C., and Destombes, J.L., 1248.
 X-ray spectra of Ne-like Ba, La, Ce, and Pr ions. Aglitsky, E.V., Antsiferov, P.S., Mandelstam, S.L., and Panin, A.M., 1924.

60.00 CONDENSED MATTER: STRUCTURE, THERMAL AND MECHANICAL PROPERTIES

61.00 STRUCTURE OF LIQUIDS AND SOLIDS; CRYSTALLOGRAPHY

61.16N EPR and NMR determinations

Spin-lattice relaxation in solid and liquid CH_4 -Kr mixtures. Calvani, P., De Luca, F., and Maraviglia, B., 431.
 Group actions as applied to symmetry breaking in hexagonal crystals with space group $P6_3/m$. Morra, R.M., and Armstrong, R.L., 1152.

61.70 Defects in crystals

Ab initio SCF-MO calculations on AlO_4 centres in alpha-quartz. I. Mombourquette, M.J., Weil, J.A., and Mezey, P.G., 21.
 A channeling study of vacancy - solute atom complexes in irradiated aluminum crystals. Swanson, M.L., Howe, L.M., Moore, J.A., and Quenneville, A.F., 826.

61.70B Interstitials and vacancies

A channeling study of vacancy - solute atom complexes in irradiated aluminum crystals. Swanson, M.L., Howe, L.M., Moore, J.A., and Quenneville, A.F., 826.

61.70E Other point defects

A channeling study of vacancy - solute atom complexes in irradiated aluminum crystals. Swanson, M.L., Howe, L.M., Moore, J.A., and Quenneville, A.F., 826.

61.80J Ions

A channeling study of vacancy - solute atom complexes in irradiated aluminum crystals. Swanson, M.L., Howe, L.M., Moore, J.A., and Quenneville, A.F., 826.

61.80M Channelling, blocking and energy loss of particles

Mean excitation energies for stopping powers in various materials composed of elements hydrogen through argon. Wilson, J.W., Xu, Y.J., Kamaratos, E., and Chang, C.K., 646.
 A channeling study of vacancy - solute atom complexes in irradiated aluminum crystals. Swanson, M.L., Howe, L.M., Moore, J.A., and Quenneville, A.F., 826.

62.00 MECHANICAL AND ACOUSTIC PROPERTIES OF CONDENSED MATTER

62.20 Mechanical properties of solids (related to microscopic structure)

Pair potentials and the bonding energy of *d*-band metals. MacDonald, A.H., and Taylor, R., 796.

63.00 LATTICE DYNAMICS AND CRYSTAL STATISTICS

63.20 Phonons and vibrations in crystal lattices

Lattice dynamics of ionic molecular crystals in the rigid ion approximation, phases II and III of sodium superoxide. Fracassi, P.F., Klein, M.L., and Della Valle, R.G., 54.
 Lattice dynamics of KCN and NaCN in the antiferroelectric phase III. Fracassi, P.F., and Klein, M.L., 725.
 Long-wavelength phonons in $2\text{H}-\text{NbS}_2$, $2\text{H}-\text{TaS}_2$, and Ag_2TaS_2 . McMullan, W.G., and Irwin, J.C., 789.
 Phonon anomalies in hexagonal close-packed transition metals using a model potential approach. Prasad, M.V.N.A., Gupta, H.C., and Tripathi, B.B., 845.
 Polar modes in molecular crystals: Ewald splitting of infrared and Raman lines. Della Valle, R.G., and Fracassi, P.F., 1237.

64.00 EQUATIONS OF STATE, PHASE EQUILIBRIA, AND PHASE TRANSITIONS

64.70 Phase equilibria, phase transitions, and critical points

A dilatometric study of magnetic phase transitions in erbium. Genossar, J., Steinitz, M.O., and Fawcett, E., 823.

65.00 THERMAL PROPERTIES OF CONDENSED MATTER

Thermoelastic parameters of crystals. Mehrotra, V.B.L., Misra, R.M., Singh, R., Shukla, D.D., Sharma, M.N., and Madan, M.P., 109.

66.00 TRANSPORT PROPERTIES OF CONDENSED MATTER (NONELECTRONIC)

Diffusion of H atoms on the surface of liquid ^4He . Zimmerman, D.S., and Berlinsky, A.J., 590.
 Erratum: Diffusion of H atoms on the surface of liquid ^4He . Zimmerman, D.S., and Berlinsky, A.J., 1177.

66.70 Nonelectronic thermal conduction and heat-pulse propagation in nonmetallic solids

Pressure dependence of the thermal conductivity of solid silver chloride. Roy, K.P., Mohazzabi, P., and Sharma, P.C., 89.

67.00 QUANTUM FLUIDS AND SOLIDS: LIQUID AND SOLID HELIUM**67.80 Solid helium and related quantum crystals**

A three-body Gaussian model of solid helium. Locke, D.P., 683.

67.90 Other topics in quantum fluids and solids (e.g. neutron-star matter)

Spin symmetry energy and spin dependence of the single particle potential in nuclear matter. Dabrowski, J., 400.

68.00 SURFACES AND INTERFACES: THIN FILMS AND WHISKERS**68.10 Fluid surfaces and interfaces with fluids**

Comportement d'une mince couche d'huile irradiée en infrarouge. Ledoyen, F., et Cormier, M., 207.

70.00 CONDENSED MATTER: ELECTRONIC STRUCTURE, ELECTRICAL, MAGNETIC, AND OPTICAL PROPERTIES

Charge transfer associated with lithium insertion in $\text{Mo}_1 - \text{Nb}_2\text{S}_2$ layered compounds. Py, M.A., and Haering, R.R., 10.

Some properties of a-Si:C films prepared by vacuum deposition with simultaneous substrate bombardment by electrons. Brodie, D.E., and Moore, C.J.L., 898.

Effect of anisotropic tunneling through Coulomb barriers on the electron capture in semiconductors. El-Wahidy, E.F., 911.

71.00 ELECTRON STATES**71.10 General theories and computational techniques**

Temperature dependence of the energy gap in semiconductors. Manoogian, A., and Woolley, J.C., 285.

Quasi-Bloch functions as basis functions in graded mixed crystals. Morrow, R.A., 720.

Phonon anomalies in hexagonal close-packed transition metals using a model potential approach. Prasad, M.V.N.A., Gupta, H.C., and Tripathi, B.B., 845.

71.20 Electronic density of states determinations

Pair potentials and the bonding energy of *d*-band metals. MacDonald, A.H., and Taylor, R., 796.

71.25 Nonlocalized single-particle electronic states

Phonon anomalies in hexagonal close-packed transition metals using a model potential approach. Prasad, M.V.N.A., Gupta, H.C., and Tripathi, B.B., 845.

71.65 Positron states

Positron motion in metals. II. Models for data analysis. Hyodo, T., McMullen, T., and Stewart, A.T., 297.

72.00 ELECTRONIC TRANSPORT IN CONDENSED MATTER**72.15 Electronic conduction in metals and alloys**

Computation of electrical conductivity and thermoelectric power in strong-scattering disordered metals. Ballentine, L.E., and Hammerberg, J.E., 629.

72.20 Conductivity phenomena in semiconductors and insulators

Thickness and doping effects observed in impure vacuum deposited a-Si films. Talukder, G., Cowan, J.A., Brodie, D.E., and Leslie, J.D., 848.

72.20J Charge carriers: generation, recombination, lifetime, and trapping

Effects of internal potential barriers on the photocurrent decay in semiconductors. Tin, C.C., and Weichman, F.L., 876.

72.40 Photoconduction and photovoltaic effects; photodielectric effects

Effects of internal potential barriers on the photocurrent decay in semiconductors. Tin, C.C., and Weichman, F.L., 876.

Photoconductivity of monocrystals of CdIn_2S_4 . Vincent, A.B., Rodríguez, C.E., and Joshi, N.V., 883.

72.80 Conductivity of specific semiconductors and insulators

Some properties of a-Si:C films prepared by vacuum deposition with simultaneous substrate bombardment by electrons. Brodie, D.E., and Moore, C.J.L., 898.

72.80N Amorphous and glassy semiconductors

Thickness and doping effects observed in impure vacuum deposited a-Si films. Talukder, G., Cowan, J.A., Brodie, D.E., and Leslie, J.D., 848.

Some properties of a-Si:C films prepared by vacuum deposition with simultaneous substrate bombardment by electrons. Brodie, D.E., and Moore, C.J.L., 898.

74.00 SUPERCONDUCTIVITY**74.20 Theory**

Critical temperature with paramagnetic and normal impurities under the square well model. Blezius, J.W., and Carbotte, J.P., 158.

74.70L Type-II superconductors (transition metals, alloys and compounds)

Superconducting energy gap of NbS_2 . Kennedy, R.J., and Clayman, B.P., 776.

75.00 MAGNETIC PROPERTIES AND MATERIALS**75.10H Ising and other classical spin models**

Generalized difference equation for the three-dimensional Ising ferromagnet. Frank, B., and Cheung, C.Y., 35.

75.10L Band and itinerant models

The spin susceptibility of an amorphous Hubbard model. Liu, K.L., 361.

75.20 Diamagnetism and paramagnetism

Ultrasonic attenuation and electrical resistivity in p-InSb at low temperatures and high magnetic fields. Madore, G., and Cheeke, J.D.N., 460.

75.20C Nonmetals

The spin susceptibility of an amorphous Hubbard model. Liu, K.L., 361.

75.25 Spin arrangements in magnetically ordered materials (neutron studies, etc.)

A neutron scattering study of spin dynamics in the one-dimensional paramagnet CsMnBr_3 . Gaulin, B.D., and Collins, M.F., 1132.

75.30 Magnetically ordered materials, other intrinsic properties

A neutron scattering study of spin dynamics in the one-dimensional paramagnet CsMnBr_3 . Gaulin, B.D., and Collins, M.F., 1132.

75.40 Critical-point effects, specific heats, short-range order

A neutron scattering study of spin dynamics in the one-dimensional paramagnet CsMnBr_3 . Gaulin, B.D., and Collins, M.F., 1132.

75.50B Ferromagnetism of Fe and its alloys

Magnetic properties of amorphous Fe-Mo-B alloys. Dunlap, R.A., and Stroink, G., 714.

75.50E Antiferromagnetics

A dilatometric study of magnetic phase transitions in erbium. Genossar, J., Steinitz, M.O., and Fawcett, E., 823.

75.50K Amorphous magnetic materials

The spin susceptibility of an amorphous Hubbard model. Liu, K.L., 361.

Magnetic properties of amorphous Fe-Mo-B alloys. Dunlap, R.A., and Stroink, G., 714.

75.60E Magnetization curves, hysteresis, Barkhausen and related effects

Magnetic properties of amorphous Fe-Mo-B alloys. Dunlap, R.A., and Stroink, G., 714.

75.80 Magnetomechanical and magnetoelectric effects, magnetostriction

A dilatometric study of magnetic phase transitions in erbium. Genossar, J., Steinitz, M.O., and Fawcett, E., 823.

76.00 MAGNETIC RESONANCES AND RELAXATION IN CONDENSED MATTER: MOSSBAUER EFFECT

Sn hyperfine field systematics in Rh_2MnZ Heusler alloys. Dunlap, R.A., Jha, S., and Julian, G.M., 396.

76.30K Rare-earth ions and impurities

The spin-Hamiltonian parameter temperature dependence of the EPR spectra of Gd^{3+} impurity ions in $\text{Y}(\text{OH})_3$ and $\text{Eu}(\text{OH})_3$. Buckmaster, H.A., Malhotra, V.M., and Boteler, J.M., 126.

76.60 Nuclear magnetic resonance and relaxation

Cross relaxation at the lysozyme-water interface: an NMR line-shape-relaxation correlation study. Peemoeller, H., Kydon, D.W., Sharp, A.R., and Schreiner, L.J., 1002.

76.60E Relaxation effects

Étude par relaxation nucléaire du proton et du deutérium des mouvements moléculaires dans l'iodopropyne liquide. Tourki, R., Fried, F., Seurin, M.J., Gaymard, F., et Sixou, P., 577.

76.80 Mossbauer effect; other gamma-ray spectroscopy

Sn hyperfine field systematics in Rh_2MnZ Heusler alloys. Dunlap, R.A., Jha, S., and Julian, G.M., 396.

Magnetic properties of amorphous Fe-Mo-B alloys. Dunlap, R.A., and Stroink, G., 714.

78.00 OPTICAL PROPERTIES AND CONDENSED MATTER SPECTROSCOPY AND OTHER INTERACTIONS OF MATTER WITH PARTICLES AND RADIATION**78.20 Optical properties and materials**

Effects of underlayer and surface roughness on the attenuated total reflection of silver films. Pinard, A., Girouard, F.E., and Truong, V.-V., 50.

78.30 Infrared and Raman spectra and scattering

Raman studies of the $^{16}\text{O}_2^+$ and $^{14}\text{N}_2^+$ bombarded silicon surface. Mathur, M.S., Derenchuk, V.P., and McKee, J.S.C., 201.

Raman spectra of a graphite surface implanted with D_2^+ . Mathur, M.S., Derenchuk, V.P., and McKee, J.S.C., 214.

Infrared spectrum of TCNQ crystals. Carlone, C., Lemieux, M.A., Deslandes, J., Jandl, S., Truong, K.D., Hota, N.K., and Zauhar, J., 562.

Infrared spectra of $Ga_{1-x}In_xSe$. Saintonge, G., and Brebner, J.L., 730.

Long-wavelength phonons in $2H-NbS_2$, $2H-TaS_2$, and Ag_2TaS_2 . McMullan, W.G., and Irwin, J.C., 789.

78.65 Optical properties of thin films

Caractéristiques optiques de la photodécomposition de cermetes et d'antireflets formes de $Cu-PbI_2$. Boivin, G., et Theriault, J.-M., 811.

78.70 Other interactions of matter with particles and radiation

Positron motion in metals. II. Models for data analysis. Hyodo, T., McMullen, T., and Stewart, A.T., 297.

Photon interaction measurements of certain compounds in the energy range 30–660 keV. Perumallu, A., Rao, A.S.N., and Rao, G.K., 454.

79.00 ELECTRON AND ION EMISSION BY LIQUIDS AND SOLIDS: IMPACT PHENOMENA

79.90 Other topics in emission and impact phenomena in condensed matter

Effect of anisotropic tunneling through Coulomb barriers on the electron capture in semiconductors. El-Wahidy, E.F., 911.

80.00 CROSS-DISCIPLINARY PHYSICS AND RELATED AREAS OF SCIENCE AND TECHNOLOGY

82.00 PHYSICAL CHEMISTRY

82.50E Photodissociation, photoionization as studied by luminescence and radiationless transitions

Vibrational dependence of electronic nonradiative processes in the \tilde{B} state of $C_2F_6^+$ and $1,2,4,5-C_6F_4H_2^+$. Winkoun, D., Chapoulard, D., Dujardin, G., and Leach, S., 1361.

The $4s \leftarrow 1b_1$ and $3d \leftarrow 1b_1$ Rydberg states of H_2O and D_2O : Spectroscopy and predissociation dynamics. Ashfold, M.N.R., Bayley, J.M., and Dixon, R.N., 1806.

86.00 ENERGY RESEARCH AND ENVIRONMENTAL SCIENCE

Charge transfer associated with lithium insertion in $Mo_{1-x}Nb_xS_2$ layered compounds. Py, M.A., and Haering, R.R., 10.

86.30F Secondary cells

Rechargeable nonaqueous lithium/ Mo_6S_8 battery. Mulhern, P.J., and Haering, R.R., 527.

90.00 GEOPHYSICS, ASTRONOMY AND ASTROPHYSICS

92.00 HYDROSPHERIC AND ATMOSPHERIC GEOPHYSICS

92.60 Meteorology

A study of the occurrence of dynamically unstable conditions in the middle atmosphere. Hamilton, K., 963.

94.00 AERONOMY AND SPACE PHYSICS

94.10 Physics of the neutral atmosphere

Altitude dependence of the vibrational distribution of $O_2(^1\Sigma_u^-)$ in the nightglow and the possible effects of vibrational excitation in the formation of $O(^1S)$. McDade, I.C., Llewellyn, E.J., Greer, R.G.H., and Witt, G., 780.

94.10Q Airglow and nightglow

Dynamics of the lower thermosphere consistent with satellite observations of 5577 Å airglow: I. Method of analysis. Murphree, J.S., Elphinstone, R.D., and Cogger, L.L., 370.

Dynamics of the lower thermosphere consistent with satellite observations of 5577 Å airglow: II. Atomic oxygen, local turbulence, and global circulation results. Elphinstone, R.D., Murphree, J.S., and Cogger, L.L., 382.

94.20 Physics of the ionosphere

High latitude ionospheric scintillations. Fulford, J.A., and Forsyth, P.A., 487.

95.00 FUNDAMENTAL ASTRONOMY AND ASTROPHYSICS, INSTRUMENTATION AND TECHNIQUES AND ASTRONOMICAL OBSERVATIONS

95.80G Far infrared (bolometric, photoconductive)

Possible identification of sharp features in the Voyager far-infrared spectra of Jupiter and Saturn. McKellar, A.R.W., 760.

96.00 SOLAR SYSTEM

96.30 Planets and satellites

Possible identification of sharp features in the Voyager far-infrared spectra of Jupiter and Saturn. McKellar, A.R.W., 760.

97.00 STARS


97.60 Late stage of stellar evolution

Cross sections and thermonuclear reaction rates for the $^{28}\text{Si}(\alpha, p)^{31}\text{P}$ and $^{54}\text{Fe}(\alpha, p)^{57}\text{Co}$ reactions. Buckby, M.A., and King, J.D., 134.

98.00 STELLAR SYSTEMS: GALACTIC AND EXTRAGALACTIC OBJECTS AND SYSTEMS; THE UNIVERSE

98.80 Cosmology

Half-life of rhenium: geologic and cosmologic ages. Naldrett, S.N., 15.



Author Index / Index des auteurs

- Abrol, P.S., see Murthy, P.N., 45.
- Aglitsky, E.V., Antsiferov, P.S., Mandelstam, S.L., and Panin, A.M. X-ray spectra of Ne-like Ba, La, Ce, and Pr ions, 1924.
- Ahmad, M.S., see Hasan, R., 442.
- Ahmad, S., see Ahrar, H., 218.
- Ahrar, H., Ahmad, S., Zafar, M., Irfan, M., and Shafi, M. A study of inelastic hadron-nucleus interactions at 50 and 400 GeV, 218.
- Alexander, T.K., see Evans, H.C., 1139.
- Altman, R.S., see Watson, J.K.G., 1875.
- Amano, T., see Petersen, J.C., 1731.
- Amano, T., see Watson, J.K.G., 1875.
- Amano, T., see Lubic, K.G., 1886.
- Anderson, A., see Stone, N.W.B., 338.
- Antal, J., see Kovács, I., 1603.
- Antsiferov, P.S., see Aglitsky, E.V., 1924.
- Arenhövel, H., see Leidemann W., 1036.
- Armstrong, R.L., see Morra, R.M., 1152.
- Ashfold, M.N.R., Bayley, J.M., and Dixon, R.N. The $4s \leftarrow 1b_1$ and $3d \leftarrow 1b_1$ Rydberg states of H_2O and D_2O : Spectroscopy and predissociation dynamics, 1806.
- Atkinson, J.B., see Giers, D.H., 1616.
- Azam, S., Nogami, Y., and Volkov, A.B. Dynamics of quark-bag vibrations: alternative methods (Additional Note), 1174.
- Babu, K.S., see Lingam, S.C., 688.
- Babu, K.S., Lingam, S.C., and Reddy, D.V.K. Gamma-ray cross sections and effective atomic numbers in some alloys in the energy range 32 to 662 keV, 178.
- Bacon, A.R., Hollas, J.M., and Ridley, T. Herzberg-Teller intensity stealing in the 279-nm system of phenylacetylene: Evidence from single vibronic level fluorescence spectra, 1254.
- Baeten, E., Blanquet, G., Walrand, J., and Courtoy, C.P. Tunable diode laser spectra of the $\nu_3 - \nu_1$ region of CS_2 , 1286.
- Balfour, W.J., and Ram, R.S. The emission spectrum of ReO between 375 and 875 nm: A classification based on rotational analysis and $Re^{16}O/Re^{18}O$ isotope shifts, 1524.
- Ballentine, L.E., and Hammerberg, J.E. Computation of electrical conductivity and thermoelectric power in strong-scattering disordered metals, 692.
- Banerjee, D., see Ghosh, D., 639.
- Banic, J.R., Lipson, R.H., and Stoicheff, B.P. Vacuum ultraviolet laser spectroscopy: I. Fluorescence studies of the $B'^2\Delta$ state of NO, 1629.
- Barrow, R.F., see Cooper, D.L., 1543.
- Barton, S.A., Coxon, J.A., and Roychowdhury, U.K. Absolute absorption cross sections at high resolution in the $A^2\Pi_u - X^2\Pi_u$ band system of ClO, 473.
- Barua, M., see Krori, K.D., 889.
- Basu, M., see Ghosh, D., 639.
- Basu, M., see Ghosh, D., 642.
- Basu, M., see Ghosh, A.S., 968.
- Bayley, J.M., see Ashfold, M.N.R., 1806.
- Becker, K., and McConkey, J.W. Absolute cross sections for D_2 Lyman and Werner band excitation by controlled electron impact, 1.
- Berg, L.-E., Ismail, S., Klynning, L., Martin, H., Pereira, A., and Royen, P. Effect of isotope shifts in the blue-green band spectrum of the lead dimer, 1232.
- Berlinsky, A.J., see Zimmerman, D.S., 590.

- Berlinsky, A.J., see Weiss, N., 616.
- Berlinsky, A.J., see Jochemsen, R., 751.
- Berlinsky, A.J., see Harris, A.B., 915.
- Berlinsky, A.J., see Zimmerman, D.S., 1177.
- Bernath, P., see Watson, J.K.G., 1875.
- Bernheim, R.A. The electron paramagnetic resonance of methylene, 1724.
- Bhattacharyya, A., see Ghosh, D., 642.
- Bickel, G.A., and Innes, K.K. The $\tilde{A}^1A''(S_1)$ excited electronic states of HCN and DCN: Isotopic evidence that unifies experiment and theory, 1763.
- Birss, F.W., see Clouthier, D.J., 973.
- Birss, F.W., see Clar, H.-J., 1834.
- Blanquet, G., see Baeten, E., 1286.
- Blezius, J.W., and Carbotte, J.P. Critical temperature with paramagnetic and normal impurities under the square well model, 158.
- Bogey, M., Demuynck, C., and Destombes, J.L. The millimetre wave spectrum of the $^{13}\text{C}^{14}\text{N}$ radical in its ground state, 1248.
- Bogey, M., Winnewisser, M., and Christiansen, J.J. The microwave and millimetre wave spectrum of diazirine, H_2CN_2 : Rotational and hyperfine structure analysis, 1198.
- Boivin, G., et Theriault, J.-M. Caractéristiques optiques de la photodécomposition de cermets et d'antireflects formes de $\text{Cu}-\text{PbI}_2$, 811.
- Bonadeo, H. A group theoretical method for the construction of the nonequivalent configurations of finite clusters with cellular disorder, 904.
- Borgohain, P., see Krori, K.D., 239.
- Bosco, B., see Montgomery, J.A., 764.
- Bose, T.K., see St-Arnaud, J.M., 548.
- Boteler, J.M., see Buckmaster, H.A., 126.
- Brand, J.C.D., Bussi eres, D., Hoy, A.R., and Jaywant, S.M. Characterization of the shallow $\tilde{d}(^3\pi_1)$ state of iodine chloride, 1947.
- Brault, J.W., see Winkel, R.J., Jr., 1414.
- Brazier, C.R., and Brown, J.M. A measurement of the lambda-type doubling spectrum of the CH radical by microwave-optical double resonance: further characterization of the $\Lambda^2\Delta$ state, 1563.
- Bre ner, J.L., see Saintonge, G., 730.
- Brevik, I., and Kolbenstvedt, H. Casimir stress in spherical media when $\epsilon\mu = 1$, 805.
- Brodie, D.E., see Talukder, G., 848.
- Brodie, D.E., and Moore, C.J.L. Some properties of a-Si:C films prepared by vacuum deposition with simultaneous substrate bombardment by electrons, 898.
- Brown, J.M., see Brazier, C.R., 1563.
- Bruce, S.A. Unspread wave packet in quantum mechanics, 624.
- Bruna, P.J., Dohmann, H., and Peyerimhoff, S.D. Multireference (single) and double-excitation - configuration interaction (MRD-CI) study of the radicals CN, SiN, and SiP, and the linear structures of HSiP and SiPH in their electronic ground and various excited states, 1508.
- Buckby, M.A., and King, J.D. Cross sections and thermonuclear reaction rates for the $^{28}\text{Si}(\alpha, p)^{31}\text{P}$ and $^{54}\text{Fe}(\alpha, p)^{57}\text{Co}$ reactions, 134.
- Buckmaster, H.A., Malhotra, V.M., and Boteler, J.M. The spin-Hamiltonian parameter temperature dependence of the EPR spectra of Gd^{3+} impurity ions in $\text{Y}(\text{OH})_3$ and $\text{Eu}(\text{OH})_3$, 126.
- Buenker, R.J., see Grein, F., 1928.
- Bujarbarua, S., see Sarma, S.N., 978.
- Bulanin, M.O., Tonkov, M.V., and Filippov, N.N. Study of collision-induced rotational perturbations in gases via the wing shape of infrared bands, 1306.
- Bunker, P.R., Kraemer, W.P., and Spirko, V. An *ab initio* investigation of the potential function and rotation - vibration energies of NH_3 , 1801.
- Burke, D.G., Waddington, J.C., L vh iden, G., and Thorsteinsen, T.F. A new assignment for the $9/2^+ [624]$ state in ^{181}Hf from the $^{179}\text{Hf}(t, p)^{181}\text{Hf}$ reaction, 192.
- Bussi eres, D., see Brand, J.C.D., 1947.
- Bussi eres, D., and Hoy, A.R. The three lowest ion-pair states of ICl, 1941.
- Butler, M.N., and Sprung, D.W.L. A slightly model dependent relation between Q and η for the deuteron, 65.
- Cabrera, G.G., see Stein-Barana, A.M., 935.
- Calixto, S., and Lessard, R.A. Transient interference gratings and holograms in dyed plastic, 669.
- Calvani, P., De Luca, F., and Maraviglia, B. Spin-lattice relaxation in solid and liquid CH_4 - Kr mixtures, 431.

- Cameron, J.A. Attribution of spins of proton capture resonances from gamma decay branching, 115.
- Cameron, J.M. Photodisintegration of and radiative capture to the $A = 2, 3$, and 4 nuclei, 1019.
- Cany-Feyret, C., see Lechuga-Fossat, L., 1889.
- Cann, M.W.P., Shin, J.B., and Nicholls, R.W. Oxygen absorption in the spectral range 180–300 nm for temperatures to 3000 K and pressures to 50 atm., 1738.
- Carbotte, J.P., see Blezius, J.W., 158.
- Carli, B., see Fusina, L., 1452.
- Carlone, C., Lemieux, M.A., Deslandes, J., Jandl, S., Truong, K.D., Hota, N.K., and Zauhar, J. Infrared spectrum of TCNQ crystals, 562.
- Carloti, M., see Fusina, L., 1452.
- Carney, G.D. Spectroscopic constants for tritiated and deuterated H_2^+ , 1871.
- Chackerian, C., Jr., Farrenq, R., Guelachvili, G., Rossetti, C., and Urban, W. Experimental determination of the $^1\Sigma^+$ state electric dipole moment function of carbon monoxide up to a large internuclear separation, 1579.
- Chakrabarti, A., and Dowerah, S. Traveling waves in a parallel plate waveguide with periodic wall perturbations, 271.
- Chang, C.K., see Wilson, J.W., 646.
- Chapoulard, D., see Winkoun, D., 1361.
- Chatterjee, M.B., see Rangacharyulu, C., 104.
- Chaves, C.M., and Riera, R. Dilute Potts chain in a magnetic field, 69.
- Cheeke, J.D.N., see Madore, G., 460.
- Cheung, A.S.-C., see Sassenberg, U., 1610.
- Cheung, A.S.-C., Yoshino, K., Parkinson, W.H., and Freeman, D.E. Herzberg continuum cross section of oxygen in the wavelength region 193.5–204.0 nm and band oscillator strengths of the (0,0) and (1,0) Schumann–Runge bands, 1752.
- Cheung, C.Y., see Frank, B., 35.
- Christiansen, J.J., see Bogey, M., 1198.
- Christiansen, J.J., see Möller, K., 1217.
- Clar, H.-J., Yamada, K., Birss, F.W., Winniewisser, G., and Gush, H.P. The ν_1 and ν_3 bands of D_2CO and improved ground state constants, 1834.
- Clayman, B.P., see Kennedy, R.J., 776.
- Clouthier, D.J., Craig, A.M., and Birss, F.W. A vibrational and rotational analysis of the $\bar{d}^3A'' - \bar{X}^1A'$ band system of HDCO, 973.
- Code, R.F., see Fuh, Y.G., 40.
- Cogger, L.L., see Murphree, J.S., 370.
- Cogger, L.L., see Elphinstone, R.D., 382.
- Collins, M.F., see Gaulin, B.D., 1132.
- Cooper, D.L., Barrow, R.F., Verges, J., Effantin, C., and d'Incan, J. Laser-excited fluorescence of the (2) $^1\Sigma_u^+$ double-minimum state of Na_2 studied by Fourier transform spectrometry, 1543.
- Cooper, D.L., Kirby, K., and Dalgarno, A. Radiative charge transfer and radiative association of helium ions with neon atoms, 1622.
- Copeland, R.A., and Crosley, D.R. Spin-orbit splittings and rotational constants for vibrationally excited levels of NCO ($X^2\Pi$), 1488.
- Cormier, M., see Ledoyen, F., 207.
- Courttoy, C.P., see Baeten, E., 1286.
- Couture, J.J.A., and Lessard, R.A. Interference fringes arising from strong coupling in multiple exposure thick absorption holographic gratings (Additional Note), 92.
- Cowan, J.A., see Talukder, G., 848.
- Coxon, J.A., see Barton, S.A., 473.
- Coxon, J.A., see Hardwick, J.L., 1792.
- Craig, A.M., see Clouthier, D.J., 973.
- Crofton, M.W., see Watson, J.K.G., 1875.
- Crosley, D.R., see Copeland, R.A., 1488.
- Curzon, F.L., Parfeniuk, D.A., and Friedmann, D.E. Electrodeless breakdown of gas in slightly conducting glass bulbs, 1145.
- Dabrowski, I. The Lyman and Werner bands of H_2 , 1639.
- Dabrowski, J. Spin symmetry energy and spin dependence of the single particle potential in nuclear matter, 400.
- Dagg, I.R., see Stone, N.W.B., 338.
- Dahler, J.S., see Turner, R.E., 505.
- Dalby, F.W., Pryce, M.H.L., and Sanders, J.H. Polarization dependence of resonant multiphoton ionization in atomic mercury, 419.
- Dalgarno, A., see Cooper, D.L., 1622.

- Dang-Nhu, M., Pine, A.S., et Lafferty, W.J. Les intensités dans les bandes ν_5 , ν_7 et $\nu_8 + \nu_{11}$ de l'éthane, 512.
- Datta, S., Mandal, C.R., and Mukherjee, S.C. Charge transfer in $H^+ - He^+ (1s)$ collisions, 307.
- Davidson, W.F., Dixon, W.R., and Storey, R.S. Rotational bands in the nucleus ^{168}Er and some remarks on their interpretation, 1538.
- Davis, S.P., see Winkel, R.J., Jr., 1414.
- Davis, S.P., see Winkel, R.J., Jr., 1420.
- Davison, N.E. Summary of conclusions about experiments in photodisintegration/radiative capture, 1127.
- D'Cunha, R., see Urban, Š., 1775.
- de Brito, A.L. Gas ionization by focused laser beams, 1010.
- de Brito, A.L., and Jabs, A. Line broadening by focusing, 661.
- De Cosmo, V., Gush, H.P., and Halpern, M. The $S_0(1)$ quadrupole line of H_2 , 1713.
- Deeley, C.M., see Halonen, L.O., 1300.
- Del Bianco, W., Kajrys, G., Kim, J., Kundu, S., Landsberger, S., Lecomte, R., and Monaro, S. The giant dipole resonance of mass-15 nuclei and the $^{12}\text{C}(^3\text{He}, \gamma_0)^{15}\text{O}$ and $^{11}\text{B}(\alpha, \gamma_0)^{15}\text{N}$ reactions, 288.
- Della Valle, R.G., see Fracassi, P.F., 54.
- Della Valle, R.G., and Fracassi, P.F. Polar modes in molecular crystals: Ewald splitting of infrared and Raman lines, 1237.
- De Luca, F., see Calvani, P., 431.
- Demuyne, C., see Bogey, M., 1248.
- Derenchuk, V.P., see Mathur, M.S., 201.
- Derenchuk, V.P., see Mathur, M.S., 214.
- Deroche, J.C., see Menoux, V., 322.
- De Sanctis, E. Deuteron photodisintegration at intermediate energies, 1083.
- Deslandes, J., see Carbone, C., 562.
- Destombes, J.L., see Bogey, M., 1248.
- Devi, R., see Krori, K.D., 239.
- Dey, M., Tomio, L., and Nogami, Y. Quark-bag vibrations in heavy quark systems, 348.
- d'Incan, J., see Cooper, D.L., 1543.
- Dixon, R.N., see Ashfold, M.N.R., 1806.
- Dixon, W.R., see Davidson, W.F., 1538.
- Dohmann, H., see Bruna, P.J., 1508.
- Dowerah, S., see Chakrabarti, A., 271.
- Dressler, K., and Wolniewicz, L. The $1^1\Pi_g$ state of hydrogen: adiabatic corrections, energy levels, L uncoupling, and electronic transition moments, 1706.
- Dujardin, G., see Winkoun, D., 1361.
- Dunlap, R.A., and Stroink, G. Magnetic properties of amorphous Fe - Mo - B alloys, 714.
- Dunlap, R.A., Jha, S., and Julian, G.M. Sn hyperfine field systematics in Rh_2MnZ Heusler alloys, 396.
- Dupont, C., see Ninane, A., 1104.
- Dymanus, A., see Ubachs, W., 1374.
- Effantin, C., see Cooper, D.L., 1543.
- Elphinstone, R.D., see Murphree, J.S., 370.
- Elphinstone, R.D., Murphree, J.S., and Cogger, L.L. Dynamics of the lower thermosphere consistent with satellite observations of 5577 Å airglow: II. Atomic oxygen, local turbulence, and global circulation results, 382.
- El-Wahidy, E.F. Effect of anisotropic tunneling through Coulomb barriers on the electron capture in semiconductors, 911.
- Endo, Y., Saito, S., and Hirota, E. The microwave spectrum of the chloromethyl radical, CH_2Cl , 1347.
- Enns, R.H., and Rangnekar, S.S. Inverse scattering study of the radiation solution of the sine - Gordon equation, 701.
- Enns, R.H., and Rangnekar, S.S. An inverse scattering study of sinh - Gordon dynamics, 841.
- Essenwanger, P., and Gush, H.P. Rotational spectrum of HD at low pressures, 1680.
- Evans, H.C., Johnstone, I.P., Leslie, J.R., McLatchie, W., Mak, H.-B., Skensved, P., and Alexander, T.K. The branching ratio in the decay of ^7Be , 1139.
- Fano, U., and Lu, K.T. Herzberg's impact on the physics of Rydberg states, 1264.
- Farrenq, R., see Chackerian, C., Jr., 1579.
- Fawcett, E., see Genossar, J., 823.
- Figger, H., Fukuda, Y., Ketterle, W., and Walther, H. Spectra and lifetimes of triatomic hydrogen molecules, 1274.
- Filippov, N.N., see Bulanin, M.O., 1306.
- Flaud, J.-M., see Lechuga-Fossat, L., 1889.

- Forsyth, P.A., see Fulford, J.A., 487.
- Fortin, M., and Meubus, P. A study of argon metastable generation in a hollow cathode arc, 141.
- Foster, S.C., see Watson, J.K.G., 1875.
- Fracassi, P.F., see Della Valle, R.G., 1237.
- Fracassi, P.F., and Klein, M.L. Lattice dynamics of KCN and NaCN in the antiferroelectric phase III, 725.
- Fracassi, P.F., Klein, M.L., and Della Valle, R.G. Lattice dynamics of ionic molecular crystals in the rigid ion approximation, phases II and III of sodium superoxide, 54.
- Frank, B., and Cheung, C.Y. Generalized difference equation for the three-dimensional Ising ferromagnet, 35.
- Fraser, G.T., see Peterson, K.I., 1502.
- Freeman, D.E., see Yoshino, K., 1478.
- Freeman, D.E., see Cheung, A.S.-C., 1752.
- Fried, F., see Tourki, R., 577.
- Friedmann, D.E., see Curzon, F.L., 1145.
- Fuh, Y.G., and Code, R.F. Polarization analysis of induced gratings in nematic liquid crystal films, 40.
- Fukuda, Y., see Figger, H., 1274.
- Fulford, J.A., and Forsyth, P.A. High latitude ionospheric scintillations, 487.
- Furlani, T.R., see Havriliak, S., 1336.
- Fusina, L., Carlotti, M., and Carli, B. Infrared spectrum of HNC between 8 and 80 cm^{-1} , 1452.
- Gaulin, B.D., and Collins, M.F. A neutron scattering study of spin dynamics in the one-dimensional paramagnet CsMnBr_3 , 1132.
- Gaymard, F., see Tourki, R., 577.
- Genossar, J., Steinitz, M.O., and Fawcett, E. A dilatometric study of magnetic phase transitions in erbium, 823.
- Ghosh, A.S., Mazumdar, P.S., and Basu, M. The triple differential cross section for the ionization of hydrogen atoms under electron impact, 968.
- Ghosh, D., Roy, J., Basu, M., Sengupta, K., Naha, S., and Banerjee, D. Mean normalized shower multiplicity in inelastic hadron-nucleus interactions at high energies and multiparticle production mechanisms, 639.
- Ghosh, D., Roy, J., Basu, M., Sengupta, K., Naha, S., and Bhattacharyya, A. Search for dynamical correlation among relativistic particles produced in 300 GeV proton-nucleus interactions, 642.
- Giers, D.H., Atkinson, J.B., and Krause, L. A study of radiative and collisional decay of $\text{Pb } ^3\text{P}_1^0$ atoms by time-resolved laser spectroscopy, 1616.
- Girouard, F.E., see Pinard, A., 50.
- Goswami, D., see Krori, K.D., 629.
- Greer, R.G.H., see McDade, I.C., 780.
- Grein, F., Peyerimhoff, S.D., and Buenker, R.J. *Ab initio* studies on the oscillator strength of the $2^3\Pi_u - X^1\Sigma_g^+$ spin-forbidden transition in Cl_2 , 1928.
- Grindlay, J., and Mizia, J. A Fourier transform treatment of the quantum mechanical two-level system in an applied electric field. I. Single field case, 741.
- Grover, C.P., Lessard, R.A., and Tremblay, R. Method of lensless, no-aperture, one-step rainbow holography: theory, practice, and applications, 77.
- Guelachvili, G., see Morillon-Chapey, M., 247.
- Guelachvili, G., see Chackerian, C., Jr., 1579.
- Gupta, H.C., see Prasad, M.V.N.A., 845.
- Gurvich, L.V., see Kulikov, A.N., 1855.
- Gush, H.P., see Essenwanger, P., 1680.
- Gush, H.P., see De Cosmo, V., 1713.
- Gush, H.P., see Clar, H.-J., 1834.
- Haering, R.R., see Py, M.A., 10.
- Haering, R.R., see Mulhern, P.J., 527.
- Haeusler, C., see Menoux, V., 322.
- Hagston, W.E., and Holmes, B.J. Consequences of nonuniqueness in spin-relaxation theory, 532.
- Hajdo, L.E. On energy, entropy, and current in constitutive theory, 312.
- Halonen, L.O., Deely, C.M., Mills, I.M., and Horneman, V.-M. Vibration-rotation spectra of deuterated nitrous acid, DONO, 1300.
- Halpern, M., see De Cosmo, V., 1713.
- Hamilton, K. A study of the occurrence of dynamically unstable conditions in the middle atmosphere, 963.
- Hammerberg, J.E., see Ballentine, L.E., 692.

- Hardwick, J.L., Luo, Y., Winicur, D.H., and Coxon, J.A.** High-resolution emission bands of the $A^2\Pi - X^2\Pi$ system of SO^+ , 1792.
- Hardy, W.N.**, see Jochemsen, R., 751.
- Harris, A.B., Mouritsen, O.G., and Berlinsky, A.J.** Pinwheel and herringbone structures of planar rotors with anisotropic interactions on a triangular lattice with vacancies, 915.
- Hasan, R., Khan, M.Q.R., Ahmad, M.S., and Swami, M.S.** Short-range and long-range correlations in cosmic ray interactions, 442.
- Hatzis, M.** Broken $SU(5) \otimes SU(5)$ chiral symmetry and the classification of B mesons, 520.
- Havriliak, S., Furlani, T.R., and King, H.F.** Rydberg levels of the sodium atom and the ammonium radical calculated by perturbation theory, 1336.
- Henry, L.**, see Pierre, G., 254.
- Hillion, P., and Quinnez, S.** Spinor solutions to Maxwell's equations in free space, 674.
- Hird, B., and Rahman, F.** Positive ion production in single collisions of Cl^- with rare gas atoms, 544.
- Hirota, E.**, see Suzuki, T., 1328.
- Hirota, E.**, see Endo, Y., 1347.
- Hoeneisen, B.** Classical electrodynamics of spinning particles, 943.
- Hollas, J.M.**, see Bacon, A.R., 1254.
- Holmes, B.J.**, see Hagston, W.E., 532.
- Horneman, V.-M.**, see Halonen, L.O., 1300.
- Hota, N.K.**, see Carlone, C., 562.
- Hougen, J.T.** Summary of group theoretical results for microwave and infrared studies of H_2O_2 , 1392.
- Howe, L.M.**, see Swanson, M.L., 826.
- Hoy, A.R.**, see Bussi eres, D., 1941.
- Hoy, A.R.**, see Brand, J.C.D., 1947.
- Hugi, M.** Radiative capture reactions in few-nucleon systems with polarized protons and deuterons at Indiana University Cyclotron Facility, 1120.
- Hunt, J.L., Poll, J.D., and Wolniewicz, L.** *Ab initio* calculation of properties of the neutral diatomic hydrogen molecules H_2 , HD, D_2 , HT, DT, and T_2 , 1719.
- Hurd, R.A.**, see L uneburg, E., 853.
- Hutcheon, D.A.** Experiments at TRIUMF on radiative processes, 1114.
- Hwang, W.-Y.P.** Photodisintegration of the deuteron, 1072.
- Hyodo, T., McMullen, T., and Stewart, A.T.** Positron motion in metals. II. Models for data analysis, 297.
- Innes, K.K.**, see Bickel, G.A., 1763.
- Irfan, M.**, see Ahrar, H., 218.
- Irfan, M., Khushnood, H., Shakeel, A., Khan, A.R., and Shafi, M.** Pseudorapidity distribution and cluster formation in 50 and 400 GeV/c hadron-nucleus interactions, 230.
- Irwin, J.C.**, see McMullan, W.G., 789.
- Ismail, S.**, see Berg, L.-E., 1232.
- Ito, H., Ozaki, Y., Nagata, T., Kondow, T., and Kuchitsu, K.** Rotational perturbations in the $CN(B^2\Sigma^+ - X^2\Sigma^+)$ tail band system. III. Molecular constants for the 4Π , $4\Sigma^+$, $A^2\Pi$, and $X^2\Sigma^+$ states, 1586.
- Jabs, A.**, see de Brito, A.L., 661.
- Jandl, S.**, see Carlone, C., 562.
- Jaywant, S.M.**, see Brand, J.C.D., 1947.
- Jensen, P.**, see Morillon-Chapey, M., 247.
- Jha, S.**, see Dunlap, R.A., 396.
- Jochemsen, R., Berlinsky, A.J., and Hardy, W.N.** The diffusion cross section for atomic hydrogen in helium gas at low temperature and the H-He potential, 751.
- Johns, J.W.C.**, see Pl va, J., 1369.
- Johns, J.W.C.**, see McKellar, A.R.W., 1673.
- Johns, J.W.C.**, see Lechuga-Fossat, L., 1889.
- Johnson, M.A., Noda, C., McKillop, J.S., and Zare, R.N.** Rotational analysis of the $BaI\ C^2\Pi - X^2\Sigma^+ (0,0)$ band, 1467.
- Johnstone, I.P.**, see Evans, H.C., 1139.
- Joshi, N.V.**, see Vincent, A.B., 883.
- Joshi, Y.N.**, see VanKleeef, T.A.M., 167.
- Julian, G.M.**, see Dunlap, R.A., 396.
- Kajrys, G.**, see Del Bianco, W., 288.

- Kalcher, J., Rosmus, P., and Quack, M. On the H^- migration in the NH_4^- ion, 1323.
- Kaledin, L.A., see Kulikov, A.N., 1855.
- Kalinowski, M.W. Reply to comment: On the nonsymmetric Jordan-Thiry theory, 1016.
- Kamaratos, E., see Wilson, J.W., 646.
- Kennedy, R.J., and Clayman, B.P. Superconducting energy gap of NbS_2 , 776.
- Kenner, R.D., and Ogryzlo, E.A. Quenching of the $O_2(A_{v=2} \rightarrow X_{v=5})$ Herzberg I band by $O_2(a)$ and O, 1599.
- Kennett, T.J., see Prestwich, W.V., 948.
- Kennett, T.J., Prestwich, W.V., and Tsai, J.S. ^{134}Cs level structure deduced from the (n, γ) reaction, 861.
- Ketterle, W., see Figger, H., 1274.
- Khan, A.R., see Irfan, M., 230.
- Khan, M.Q.R., see Hasan, R., 442.
- Khushnood, H., see Irfan, M., 230.
- Kim, J., see Del Bianco, W., 288.
- King, H.F., see Havriliak, S., 1336.
- King, J.D., see Buckby, M.A., 134.
- King, M.A., Maier, J.P., Misev, L., and Ochsner, M. Rotational analysis of the $\tilde{A}^2\Pi_{3/2} \leftarrow \tilde{X}^2\Pi_{3/2}$ laser excitation spectra of the bromoacetylene and deuterobromoacetylene cations, 1437.
- Kirby, K., see Cooper, D.L., 1622.
- Klein, M.L., see Fracassi, P.F., 54.
- Klein, M.L., see Fracassi, P.F., 725.
- Klemperer, W., see Peterson, K.I., 1502.
- Klopotek, P., and Vidal, C.R. Frequency selective excitation spectroscopy of the CO intercombination bands, 1426.
- Klynning, L., see Berg, L.-E., 1232.
- Kobyliansky, A.I., see Kulikov, A.N., 1855.
- Kolbenstvedt, H., see Brevik, I., 805.
- Kondow, T., see Ito, H., 1586.
- Kovács, I., and Antal, J. Formulae for the rotational intensity distribution of $^5\Sigma \leftrightarrow ^5\Pi$ (int) transitions in diatomic molecules, 1603.
- Kraemer, W.P., see Bunker, P.R., 1801.
- Krasznovszky, S., and Wagner I. Energy dependence of KNO moments using the Novero-Predazzi method with a new ansatz, 330.
- Krause, L., see Giers, D.H., 1616.
- Krori, K.D., and Barua, M. The field of an accelerating black hole embedded in a magnetic universe, 889.
- Krori, K.D., Borgohain, P., and Devi, R. Some exact anisotropic solutions in general relativity, 239.
- Krori, K.D., Sarmah, J.C., and Goswami, D. Gravitational repulsion in the Einstein-zero-mass scalar theory, 629.
- Kuchitsu, K., see Ito, H., 1586.
- Kulikov, A.N., Kaledin, L.A., Kobyliansky, A.I., and Gurvich, L.V. Dye laser and thermal emission spectroscopy of the TbO molecule, 1855.
- Kundu, S., see Del Bianco, W., 288.
- Kunstätter, G. Monopole charge quantization and the Aharonov-Bohm effect, 737.
- Kydon, D.W., see Peemoeller, H., 1002.
- Lafferty, W.J., see Dang-Nhu, M., 512.
- Laget, J.M. Photo- and electrodisintegration of few-body systems at intermediate energies: an introduction, 1046.
- Landsberger, S., see Del Bianco, W., 288.
- Larzilliere, M., see Roncin, J.-Y., 1686.
- Launay, F., see Roncin, J.-Y., 1686.
- Leach, S., see Winkoun, D., 1361.
- Lechuga-Fossat, L., Flaud, J.-M., Camy-Peyret, C., and Johns, J.W.C. The spectrum of natural hydrogen sulfide between 2150 and 2950 cm^{-1} , 1889.
- Lecomte, R., see Del Bianco, W., 288.
- Le Doucen, R., see Menoux, V., 322.
- Ledoyen, F., et Cormier, M. Comportement d'une mince couche d'huile irradiée en infrarouge, 207.
- Leidemann, W., and Arenhövel, H. Electromagnetic breakup of the deuteron in the Δ resonance region, 1036.
- Leleux, P., see Ninane, A., 1104.
- Lemieux, M.A., see Carlone, C., 562.
- Leslie, J.D., see Talukder, G., 848.
- Leslie, J.R., see Evans, H.C., 1139.

- Lessard, R.A., see Grover, C.P., 77.
- Lessard, R.A., see Couture, J.J.A., 92.
- Lessard, R.A., see Calixto, S., 669.
- Lingam, S.C., see Babu, K.S., 178.
- Lingam, S.C., Babu, K.S., and Reddy, D.V.K. Total and photoelectric cross sections in some rare-earth elements, 688.
- Lipnik, P., see Ninane, A., 1104.
- Lipson, R.H., see Banic, J.R., 1629.
- Liu, K.L. The spin susceptibility of an amorphous Hubbard model, 361.
- Llewellyn, E.J., see McDade, I.C., 780.
- Locke, D.P. A three-body Gaussian model of solid helium, 683.
- Løvholden, G., see Burke, D.G., 192.
- Lu, K.T., see Fano, U., 1264.
- Lubic, K.G., and Amano, T. Observation of the ν_1 fundamental band of D_2H^+ , 1886.
- Lüneburg, E., and Hurd, R.A. On the diffraction problem of a half plane with different face impedances, 853.
- Luo, Y., see Hardwick, J.L., 1792.
- MacDonald, A.H., and Taylor, R. Pair potentials and the bonding energy of d -band metals, 796.
- Macq, P., see Ninane, A., 1104.
- Madan, M.P., see Mehrotra, V.B.L., 109.
- Mäder, H., see Mehrotra, S.C., 1280.
- Madore, G., and Cheeke, J.D.N. Ultrasonic attenuation and electrical resistivity in p-InSb at low temperatures and high magnetic fields, 460.
- Maier, J.P., see King, M.A., 1437.
- Majewski, W., see McKellar, A.R.W., 1673.
- Majewski, W.A., see Meerts, W.L., 1293.
- Mak, H.-B., see Evans, H.C., 1139.
- Malhotra, V.M., see Buckmaster, H.A., 126.
- Mandal, C.R., see Datta, S., 307.
- Mandelstam, S.L., see Aglitsky, E.V., 1924.
- Mann, R.B., McKeon, G., and Phillips, S. Longitudinal contributions to the vacuum polarization in the 't Hooft - Veltman gauge, 1129.
- Manoogian, A., and Woolley, J.C. Temperature dependence of the energy gap in semiconductors, 285.
- Maraviglia, B., see Calvani, P., 431.
- Martin, H., see Berg, L.-E., 1232.
- Mathur, M.S., Derenchuk, V.P., and McKee, J.S.C. Raman studies of the $^{16}O_2^+$ and $^{14}N_2^+$ bombarded silicon surface, 201.
- Mathur, M.S., Derenchuk, V.P., and McKee, J.S.C. Raman spectra of a graphite surface implanted with D_2^+ , 214.
- Matthew, J.A.D., see Szymanski, J.E., 583.
- Matthews, J.L. Photonuclear reactions in few-body systems: recent results, current program, and future plans at the Massachusetts Institute of Technology Bates Laboratory, 1100.
- Mazumdar, P.S., see Ghosh, A.S., 968.
- McConkey, J.W., see Becker, K., 1.
- McDade, I.C., Llewellyn, E.J., Greer, R.G.H., and Witt, G. Altitude dependence of the vibrational distribution of $O_2(c^1\Sigma_u^-)$ in the nightglow and the possible effects of vibrational excitation in the formation of $O(^1S)$, 780.
- McKee, J.S.C., see Mathur, M.S., 201.
- McKee, J.S.C., see Mathur, M.S., 214.
- McKellar, A.R.W. Possible identification of sharp features in the Voyager far-infrared spectra of Jupiter and Saturn, 760.
- McKellar, A.R.W., see Watson, J.K.G., 1875.
- McKellar, A.R.W., and Rich, N.H. Interference effects in the spectrum of HD: II. The fundamental band for HD - rare gas mixtures, 1665.
- McKellar, A.R.W., Johns, J.W.C., Majewski, W., and Rich, N.H. Interference effects in the spectrum of HD: III. The pure rotational band at 77 K for HD and HD - Ne mixtures, 1673.
- McKellar, R.J. Comment: On the nonsymmetric Jordan - Thiry theory, 1014.
- McKeon, G. $N = 2$ supergravity in the presence of an external magnetic field, 84.
- McKeon, G., see Mann, R.B., 1129.
- McKillop, J.S., see Johnson, M.A., 1467.
- McLatchie, W., see Evans, H.C., 1139.

- McMullan, W.G., and Irwin, J.C. Long-wavelength phonons in $2H-NbS_2$, $2H-TaS_2$, and Ag_2TaS_2 , 789.
- McMullen, T., see Hyodo, T., 297.
- Meerts, W.L., see Ozier, I., 1844.
- Meerts, W.L., Majewski, W.A., and van Herpen, W.M. The structure of fluorene ($C_{13}H_{10}$) and the fluorene-argon van der Waals complex from a high-resolution near ultraviolet spectrum, 1293.
- Mehrotra, S.C., and Mäder, H. Study of T_2 relaxation for I -doublet transitions of OCS, 1280.
- Mehrotra, V.B.L., Misra, R.M., Singh, R., Shukla, D.D., Sharma, M.N., and Madan, M.P. Thermoelastic parameters of crystals, 109.
- Mendel, E., see Weiss, N., 616.
- Menoux, V., Le Doucen, R., Haeusler, C., et Deroche, J.C. Étude à basse température dans l'infrarouge proche du dimère $(NO)_2$, 322.
- Merer, A.J., see Sassenberg, U., 1610.
- Meubus, P., see Fortin, M., 141.
- Meyer, H.O. Recent studies of radiative capture and photodisintegration in few-nucleon systems, 1109.
- Mezey, P.G., see Mombourquette, M.J., 21.
- Michelot, F. Effets hyperfins induits par la vibration et la rotation moléculaire, 148.
- Miller, G.A. Summary of the discussion of the theory of photodisintegration/radiative capture, 1126.
- Mills, I.M., see Halonen, L.O., 1300.
- Misev, L., see King, M.A., 1437.
- Misra, R.M., see Mehrotra, V.B.L., 109.
- Mizla, J., see Grindlay, J., 741.
- Mizuguchi, T., see Tsuji, M., 353.
- Mohazzabi, P., see Roy, K.P., 89.
- Möller, K., Vogt, J., Winnewisser, M., and Christiansen, J.J. The rotational a -type spectrum of $[^{13}C]$ diazine, H_2CN_2 , 1217.
- Mombourquette, M.J., Weil, J.A., and Mezey, P.G. *Ab initio* SCF-MO calculations on AlO_4 centres in α -quartz. I., 21.
- Monaro, S., see Del Bianco, W., 288.
- Montgomery, J.A., Überall, H., and Yoo, K.-B. All-multipolarity electric sum rule, 771.
- Montgomery, J.A., Yoo, K.-B., Überall, H., and Bosco, B. Generalized isospin sum rule: an application to magnetic transitions, 764.
- Moore, C.J.L., see Brodie, D.E., 898.
- Moore, J.A., see Swanson, M.L., 826.
- Morillon-Chapey, M., Guelachvili, G., and Jensen, P. Analysis of the high resolution spectrum of the ν_2 and ν_5 absorption bands of methyl chloride, 247.
- Morino, Y., and Tanimoto, M. Vibration-rotation interaction constants and the cubic potential function of the NO_2 molecule in the small-amplitude approximation, 1315.
- Morra, R.M., and Armstrong, R.L. Group actions as applied to symmetry breaking in hexagonal crystals with space group $P6_3/m$, 1152.
- Morrow, R.A. Quasi-Bloch functions as basis functions in graded mixed crystals, 720.
- Mouritsen, O.G., see Harris, A.B., 915.
- Mukherjee, S.C., see Datta, S., 307.
- Mulhern, P.J., and Haering, R.R. Rechargeable nonaqueous lithium/ Mo_6S_8 battery, 527.
- Murphree, J.S., see Elphinstone, R.D., 382.
- Murphree, J.S., Elphinstone, R.D., and Cogger, L.L. Dynamics of the lower thermosphere consistent with satellite observations of 5577 Å airglow: I. Method of analysis, 370.
- Murthy, P.N., Tagare, S.G., and Abrol, P.S. Ion-acoustic solitons in a two electron-temperature plasma consisting of warm ions, 45.
- Nagata, T., see Ito, H., 1586.
- Naha, S., see Ghosh, D., 639.
- Naha, S., see Ghosh, D., 642.
- Naldrett, S.N. Half-life of rhenium: geologic and cosmologic ages, 15.
- Nicholls, R.W., see Cann, M.W.P., 1738.
- Nienhuis, G., see Schuller, F., 183.
- Ninane, A., Dupont, C., Leleux, P., Lipnik, P., and Macq, P. A measurement of the neutron-proton capture differential cross section at extreme centre-of-mass angles at $E_n = 61$ MeV, 1104.
- Nishimura, Y., see Tsuji, M., 353.
- Nishitani, S., see Tsuji, M., 353.
- Noda, C., see Johnson, M.A., 1467.

- Nogami, Y., see Dey, M., 348.
- Nogami, Y., see Azam, S., 1174.
- Nogami, Y., and Tomio, L. Dynamics of quark-bag vibrations: validity of the adiabatic approximation, 260.
- Nogami, Y., Suzuki, A., and Yamanishi, N. Fuzzy bag model: nucleon self-energy due to pion interaction, 554.
- Nunemaker, R.D., see Rustgi, M.L., 1064.
- Ochsner, M., see King, M.A., 1437.
- Ogryzlo, E.A., see Kenner, R.D., 1599.
- Oikawa, K., see Shimauchi, M., 1403.
- Oka, T., see Watson, J.K.G., 1875.
- Ozaki, Y., see Ito, H., 1586.
- Ozier, L., and Meerts, W.L. Internal rotation, Stark effect, and rotational magnetic moments in CH_3CD_3 , 1844.
- Paldus, J., see Takahashi, M., 1226.
- Pan, F.S., see Watson, J.K.G., 1875.
- Panin, A.M., see Aglitsky, E.V., 1924.
- Papoušek, D., see Urban, Š., 1775.
- Parfeniuk, D.A., see Curzon, F.L., 1145.
- Parkinson, W.H., see Cheung, A.S.-C., 1752.
- Pecyner, R., see Winkel, R.J., Jr., 1414.
- Peemöller, H., Kydon, D.W., Sharp, A.R., and Schreiner, L.J. Cross relaxation at the lysozyme-water interface: an NMR line-shape-relaxation correlation study, 1002.
- Pereira, A., see Berg, L.-E., 1232.
- Perumallu, A., Rao, A.S.N., and Rao, G.K. Photon interaction measurements of certain compounds in the energy range 30–660 keV, 454.
- Petersen, J.C., Saito, S., Amano, T., and Ramsay, D.A. Microwave-optical double resonance of HNO in the $\tilde{A}^1A''(000)$ state, 1731.
- Peterson, K.L., Fraser, G.T., and Klemperer, W. Electric dipole moment of $X^2\Pi$ OH and OD in several vibrational states, 1502.
- Peyerimhoff, S.D., see Bruna, P.J., 1508.
- Peyerimhoff, S.D., see Grein, F., 1928.
- Phillips, S., see Mann, R.B., 1129.
- Pierre, G., Valentin, A., et Henry, L. Le niveau de base du silane obtenu à partir de l'étude du spectre à transformée de Fourier de ν_2 et ν_4 , 254.
- Pilot, C. Do leptons and quarks have a common origin?, 597.
- Pinard, A., Girouard, F.E., and Truong, V.-V. Effects of underlayer and surface roughness on the attenuated total reflection of silver films, 50.
- Pine, A.S., see Dang-Nhu, M., 512.
- Pliva, J., and Johns, J.W.C. High-resolution Fourier transform study of the ν_{11} and ν_7 fundamentals of cyclopropane, 1369.
- Poll, J.D., see Hunt, J.L., 1719.
- Prasad, M.V.N.A., Gupta, H.C., and Tripathi, B.B. Phonon anomalies in hexagonal close-packed transition metals using a model potential approach, 845.
- Prestwich, W.V., see Kennett, T.J., 861.
- Prestwich, W.V., Kennett, T.J., and Tsai, J.S. Gamma rays produced in the $^{209}\text{Bi}(n, n'\gamma)$ reaction, 948.
- Pruneau, C., see Rangacharyulu, C., 104.
- Pryce, M.H.L., see Dalby, F.W., 419.
- Py, M.A., and Haering, R.R. Charge transfer associated with lithium insertion in $\text{Mo}_{1-x}\text{Nb}_x\text{S}_2$ layered compounds, 10.
- Quack, M., see Kalcher, J., 1323.
- Quenneville, A.F., see Swanson, M.L., 826.
- Quinnez, S., see Hillion, P., 674.
- Rahman, F., see Hird, B., 544.
- Ram, R.S., see Balfour, W.J., 1524.
- Ramsay, D.A., see Petersen, J.C., 1731.
- Rangacharyulu, C., Pruneau, C., Chatterjee, M.B., and St-Pierre, C. Analogue – antianalogue transition for the 11.14-MeV level in ^{49}V , 104.
- Rangnekar, S.S., see Enns, R.H., 701.
- Rangnekar, S.S., see Enns, R.H., 841.
- Rao, A.S.N., see Perumallu, A., 454.
- Rao, G.K., see Perumallu, A., 454.

- Rao, K.N., see Urban, Š., 1775.
- Read, L.A.A., see Stone, N.W.B., 338.
- Reddy, D.V.K., see Babu, K.S., 178.
- Reddy, D.V.K., see Lingam, S.C., 688.
- Rich, N.H., see McKellar, A.R.W., 1665.
- Rich, N.H., see McKellar, A.R.W., 1673.
- Ridley, T., see Bacon, A.R., 1254.
- Riera, R., see Chaves, C.M., 69.
- Rodríguez, C.E., see Vincent, A.B., 883.
- Roncin, J.-Y., Launay, F., and Larzilliere, M. High resolution emission spectrum of H_2 between 78 and 118 nm, 1686.
- Rosmus, P., see Kalcher, J., 1323.
- Rossetti, C., see Chackerian, C., Jr., 1579.
- Roy, J., see Ghosh, D., 639.
- Roy, J., see Ghosh, D., 642.
- Roy, K.P., Mohazzabi, P., and Sharma, P.C. Pressure dependence of the thermal conductivity of solid silver chloride, 89.
- Roychowdhury, U.K., see Barton, S.A., 473.
- Royen, P., see Berg, L.-E., 1232.
- Rullière, C. Lasing ability of dyes related to symmetry of the fluorescent state: the example of naphthalene, 73.
- Rustgi, M.L., Nunemaker, R.D., and Vyas, R. Observables in $\gamma + d \rightleftharpoons n + p$, 1064.
- Sagar, R., and Verma, R.C. Anomalous magnetic moments for uncharmed and charmed baryons, 123.
- Sagar, R., and Verma, R.C. Strong coupling and hadron masses, 226.
- Saintonge, G., and Brebner, J.L. Infrared spectra of $Ga_{1-x}Se_x$, 730.
- Saito, S., see Suzuki, T., 1328.
- Saito, S., see Endo, Y., 1347.
- Saito, S., see Petersen, J.C., 1731.
- Sanders, J.H., see Dalby, F.W., 419.
- Sarma, S.N., and Bujarbarua, S. Cylindrical magnetosonic shocks in a collisional plasma, 978.
- Sarmah, J.C., see Krori, K.D., 629.
- Sassenberg, U., Cheung, A.S.-C., and Merer, A.J. Rotational line strengths in a $^5\Sigma - ^5\Pi$ transition with application to the $A - X$ system of CrO , 1610.
- Schawlow, A.L., see Zhang, P.-L., 1187.
- Schreiner, L.J., see Peemoeller, H., 1002.
- Schuller, F., and Nienhuis, G. Analytic expressions for fluorescence spectra and optical collision rates of collisionally perturbed atoms in a strong driving field, 183.
- Schweizer, M.A. On the entropy production in dissipative radiative plasmas, 435.
- Sebak, A.A., and Shafai, L. Performance of various integral equation formulations for numerical solution of scattering by impedance objects, 605.
- Seguin, H.J.J., see Shammass, S., 992.
- Sengupta, K., see Ghosh, D., 639.
- Sengupta, K., see Ghosh, D., 642.
- Seurin, M.J., see Tourki, R., 577.
- Shafai, L., see Sebak, A.A., 605.
- Shafi, M., see Ahrar, H., 218.
- Shafi, M., see Irfan, M., 230.
- Shakeel, A., see Irfan, M., 230.
- Shammass, S., and Seguin, H.J.J. A numerical method for diffusion, attachment, and recombination coefficients in uv ionized gases, 992.
- Sharma, M.N., see Mehrotra, V.B.L., 109.
- Sharma, P.C., see Roy, K.P., 89.
- Sharp, A.R., see Peemoeller, H., 1002.
- Shimauchi, M., and Oikawa, K. Absorption bands of O_2 and OH in a new ultraviolet continuum and in the XeCl laser spectrum, 1403.
- Shin, J.B., see Cann, M.W.P., 1738.
- Shinohara, K., see Tsuji, M., 353.
- Shizgal, B. Discrete versus continuum relaxation modes of a hard sphere gas, 97.
- Shukla, D.D., see Mehrotra, V.B.L., 109.

- Singh, R., see Mehrotra, V.B.L., 109.
- Sixou, P., see Tourki, R., 577.
- Skensved, P., see Evans, H.C., 1139.
- Smith W., see Stone, N.W.B., 338.
- Snider, R.F., see Turner, R.E., 505.
- Špirko, V., see Bunker, P.R., 1801.
- Sprung, D.W.L., see Butler, M.N., 65.
- St-Arnaud, J.M., et Bose, T.K. Étude expérimentale de propriétés piézo-optiques du CCl_4 liquide, 548.
- Stein-Barana, A.M., Cabrera, G.G., and Zuckermann, M.J. Study of a model for the main phase transition of lipid bilayers using the Kikuchi cluster method, 935.
- Steinitz, M.O., see Genossar, J., 823.
- Stewart, A.T., see Hyodo, T., 297.
- Stoicheff, B.P., see Banic, J.R., 1629.
- Stone, N.W.B., Read, L.A.A., Anderson, A., Dagg, I.R., and Smith W. Temperature dependent collision-induced absorption in nitrogen, 338.
- Storey, R.S., see Davidson, W.F., 1538.
- St-Pierre, C., see Rangacharyulu, C., 104.
- Stroink, G., see Dunlap, R.A., 714.
- Sumi, Y. The present status, recent experimental results, and future plans at the Tokyo electron synchrotron, 1085.
- Suzuki, A., see Nogami, Y., 554.
- Suzuki, T., Saito, S., and Hirota, E. Rotational perturbations and the Zeeman effect in the $\tilde{A}'^1A''(010) - \tilde{X}'^1A'(000)$ band of HCF, 1328.
- Swami, M.S., see Hasan, R., 442.
- Swanson, M.L., Howe, L.M., Moore, J.A., and Quenneville, A.F. A channeling study of vacancy - solute atom complexes in irradiated aluminum crystals, 826.
- Szymanski, J.E., and Matthew, J.A.D. Empirical interionic potentials for alkali halide molecules, 583.
- Tagare, S.G., see Murthy, P.N., 45.
- Takahashi, M., and Paldus, J. Bond-length alternation and vibrational spectra of polyacetylene, 1226.
- Talukder, G., Cowan, J.A., Brodie, D.E., and Leslie, J.D. Thickness and doping effects observed in impure vacuum deposited a-Si films, 848.
- Tanimoto, M., see Morino, Y., 1315.
- Tayal, S.S., and Tripathi, A.N. Total cross sections for electron - lithium scattering, 198.
- Taylor, R., see MacDonald, A.H., 796.
- Tellinghuisen, J. The $D(0_1^+)$ state of I_2 : Analysis by quantum simulations of bound-free $D \rightarrow X$ fluorescence, 1933.
- ter Meulen, J.J., see Ubachs, W., 1374.
- Theriault, J.-M., see Boivin, G., 811.
- Thorsteinsen, T.F., see Burke, D.G., 192.
- Tin, C.C., and Weichman, F.L. Effects of internal potential barriers on the photocurrent decay in semiconductors, 876.
- Tomio, L., see Nogami, Y., 260.
- Tomio, L., see Dey, M., 348.
- Tonkov, M.V., see Bulanin, M.O., 1306.
- Tourki, R., Fried, F., Seurin, M.J., Gaymard, F., et Sixou, P. Étude par relaxation nucléaire du proton et du deutérium des mouvements moléculaires dans l'iodopropyne liquide, 577.
- Toyoda, T., and Wildermuth, K. Remarks on the microscopic derivation of the collective model, 981.
- Tremblay, R., see Grover, C.P., 77.
- Tripathi, A.N., see Tayal, S.S., 198.
- Tripathi, B.B., see Prasad, M.V.N.A., 845.
- Truong, K.D., see Carlone, C., 562.
- Truong, V.-V., see Pinard, A., 50.
- Tsai, J.S., see Kennett, T.J., 861.
- Tsai, J.S., see Prestwich, W.V., 948.
- Tsuji, M., Shinohara, K., Nishitani, S., Mizuguchi, T., and Nishimura, Y. Emission spectra of group IV monohalide ions: $a^1\Pi_0 + {}^3\Pi_1 - X'\Sigma^+$ emissions of SiBr^+ , 353.
- Turner, R.E. Unitary approximations to transition probabilities: Generalized impact parameter theory and the time dependent projection operator method, 446.

- Turner, R.E., Snider, R.F., and Dahler, J.S. Superoperator methods for calculating cross sections. IV: Decoupled motions approximation, 505.
- Ubachs, W., ter Meulen, J.J., and Dymanus, A. High-resolution laser spectroscopy on the $A^3\Pi \leftarrow X^3\Sigma^-$ transition of NH, 1374.
- Überall, H., see Montgomery, J.A., 764.
- Überall, H., see Montgomery, J.A., 771.
- Urban, Š., D'Cunha, R., Rao, K.N., and Papousek, D. The $\Delta k = \pm 2$ "forbidden band" and inversion-rotation energy levels of ammonia, 1775.
- Urban, W., see Chackerian, C., Jr., 1579.
- Valentin, A., see Pierre, G., 254.
- van Herpen, W.M., see Meerts, W.L., 1293.
- VanKleef, T.A.M., and Joshi, Y.N. Seventh spectrum of tin: Sn VII, 167.
- Vergès, J., see Cooper, D.L., 1543.
- Verma, R.C., see Sagar, R., 123.
- Verma, R.C., see Sagar, R., 226.
- Verma, R.D. High-resolution study of the absorption spectrum of the first positive system of N_2 , 414.
- Verma, R.D. Experimental evidence for $1^3\Sigma_g^+$ as the predissociating state in the $B^3\Pi_g$ and $a^1\Pi_g$ states of N_2 , 569.
- Vidal, C.R., see Klopotek, P., 1426.
- Vincent, A.B., Rodriguez, C.E., and Joshi, N.V. Photoconductivity of monocrystals of $CdIn_2S_4$, 883.
- Vogt, J., see Möller, K., 1217.
- Volkov, A.B., see Azam, S., 1174.
- Vyas, R., see Rustgi, M.L., 1064.
- Waddington, J.C., see Burke, D.G., 192.
- Wagner I., see Krasznovszky, S., 330.
- Walrand, J., see Baeten, E., 1286.
- Walther, H., see Figger, H., 1274.
- Watson, J.K.G., Foster, S.C., McKellar, A.R.W., Bernath, P., Amano, T., Pan, F.S., Crofton, M.W., Altman, R.S., and Oka, T. The infrared spectrum of the ν_2 fundamental band of the H_3^+ molecular ion, 1875.
- Weichman, F.L., see Tin, C.C., 876.
- Weil, J.A., see Mombourquette, M.J., 21.
- Weiss, N., Mendel, E., and Berlinsky, A.J. Semiclassical calculation of the photoproduction of breather modes in the sine-Gordon theory, 616.
- Wildermuth, K., see Toyoda, T., 981.
- Williams, J.G. De la combinatoire du modèle de l'échiquier de Feynman et des fonctions spéciales, 632.
- Wilson, J.W., Xu, Y.J., Kamaratos, E., and Chang, C.K. Mean excitation energies for stopping powers in various materials composed of elements hydrogen through argon, 646.
- Winicur, D.H., see Hardwick, J.L., 1792.
- Winkel, R.J., Jr., and Davis, S.P. Lambda doubling in the infrared spectrum of SH, 1420.
- Winkel, R.J., Jr., Davis, S.P., Pecyner, R., and Brault, J.W. The infrared spectrum of CS, 1414.
- Winkoun, D., Chapoulard, D., Dujardin, G., and Leach, S. Vibrational dependence of electronic nonradiative processes in the \tilde{B} state of $C_6F_6^+$ and $1,2,4,5\text{-}C_6F_4H_2^+$, 1361.
- Winnewisser, G., see Clar, H.-J., 1834.
- Winnewisser, M., see Bogey, M., 1198.
- Winnewisser, M., see Möller, K., 1217.
- Witt, G., see McDade, I.C., 780.
- Wolniewicz, L., see Dressler, K., 1706.
- Wolniewicz, L., see Hunt, J.L., 1719.
- Woolley, J.C., see Manoogian, A., 285.
- Xu, Y.J., see Wilson, J.W., 646.
- Yamada, K., see Clar, H.-J., 1834.
- Yamanishi, N., see Nogami, Y., 554.
- Yoo, K.-B., see Montgomery, J.A., 764.
- Yoo, K.-B., see Montgomery, J.A., 771.
- Yoshino, K., see Cheung, A.S.-C., 1752.
- Yoshino, K., and Freeman, D.E. High resolution vacuum ultraviolet absorption spectrum of N_2 : Perturbations in the $c'_5(0) \ ^1\Sigma_u^+$ and $c_4(0) \ ^1\Pi_u$ Rydberg levels, 1478.

Zafar, M., see Ahrar, H., 218.

Zare, R.N., see Johnson, M.A., 1467.

Zauhar, J., see Carlone, C., 562.

Zhang, P.-L., and Schawlow, A.L. Two-photon resonant optical processes in atomic potassium, 1187.

Zieger, A. Deuteron photodisintegration at 0° and 180° , 1084.

Zimmerman, D.S., and Berlinsky, A.J. Diffusion of H atoms on the surface of liquid ^4He , 590.

Zimmerman, D.S., and Berlinsky, A.J. Erratum: Diffusion of H atoms on the surface of liquid ^4He , 1177.

Zuckermann, M.J., see Stein-Barana, A.M., 935.

